
30KEPS10BBSW <

Corcom KEP

TE Internal #: 6-1609968-1 3-Phase Filters, 30A Current Rating, Terminal Block Input, Terminal Block Output, WYE (4 wire + ground), Operating Voltage 520 VAC, Corcom KEP

View on TE.com >

EMI & EMC Solutions > EMI Filters > Power Line Filters > 3-Phase Filters



Current Rating: 30 A

Input Termination Type: Terminal Block

Output Termination Type: Terminal Block

Wiring Configuration: WYE (4 wire + ground)

Operating Voltage: 520 VAC

Features



Product Type Features

Filtering Requirements	Filtered				
Input Termination Type	Terminal Block				
Output Termination Type	Terminal Block				
Configuration Features					
Wiring Configuration	WYE (4 wire + ground)				
Electrical Characteristics					
Leakage Current (Max) (230VAC, 50Hz)	5				
Current Rating	30 A				
Operating Voltage	520 VAC				
Mechanical Attachment					
Product Mount Type	Chassis				
Usage Conditions					
Operating Temperature Range	-25 – 85 °C				

30KEPS10BBSW

3-Phase Filters, 30A Current Rating, Terminal Block Input, Terminal Block Output, WYE (4 wire + ground), Operating Voltage 520 VAC, Corcom KEP



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions	
EU ELV Directive 2000/53/EC	Not Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (3% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	
Solder Process Capability	Not reviewed for solder process capability	

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | Corcom KEP

C For support call+1 800 522 6752


30KEPS10BBSW

3-Phase Filters, 30A Current Rating, Terminal Block Input, Terminal Block Output, WYE (4 wire + ground), Operating Voltage 520 VAC, Corcom KEP





Customers Also Bought



TERMINAL,PIDG R 26-22 6	TRSA-1019/C/1/0	RT-3/5-1/4-X-STK	M83513/04-G11N, MCKS-N1-B- 51S6Q9-18.0
TE TE			
TE Part #2362767-4 MATENET,CABLE ASSY,1 GBPS UTP	TE Part #0222184003 ZHCP-NR1-0-SP		

Documents

Product Drawings KEP 30A 1S HIGH PLUS SP BS WYE 520VAC

English

CAD Files

Customer View Model

ENG_CVM_CVM_6-1609968-1_B.2d_dxf.zip

English

Customer View Model

C For support call+1 800 522 6752

30KEPS10BBSW

3-Phase Filters, 30A Current Rating, Terminal Block Input, Terminal Block Output, WYE (4 wire + ground), Operating Voltage 520 VAC, Corcom KEP



ENG_CVM_CVM_6-1609968-1_B.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_6-1609968-1_B.3d_igs.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages KEP-BS SERIES

English