

Kilovac | Kilovac LEV200

TE Internal #: 6-1618388-7

High Voltage Relays, 12 – 900VDC Contact Voltage Rating, 1 Form

X, SPST-NO-DM, Flying Leads, Stud Terminals, Without

Economizer, Kilovac LEV200

View on TE.com >



Relays, Contactors & Switches > Relays > High Voltage Relays



Contact Voltage Rating: 12 – 900 VDC

High Voltage Relay Contact Arrangement: 1 Form X, SPST-NO-DM

High Voltage Connection (Coil): Flying Leads
High Voltage Connection (Power): Stud Terminals

Economizer: Without

Features

Product Type Features

Product Type	Contactor
Configuration Features	

Economizer	Without
Power Switching	Yes

Electrical Characteristics

Contact Voltage Rating	12 – 900 VDC
High Voltage Relay Voltage (Max)	500 VDC
High Voltage Relay Coil Voltage Rating	24 VDC
High Voltage Relay Coil Resistance	40 Ω
High Voltage Relay Contact Switching Voltage (Max)	900

Contact Features

High Voltage Relay Contact Arrangement	1 Form X, SPST-NO-DM
Auxiliary Contacts	With
High Voltage Relay Contact Current Rating	500 A
Contact Base Material	Copper

Termination Features

High Voltage Connection (Coil)	Flying Leads
--------------------------------	--------------



	High Voltage Connection	(Power)	Stud Terminals
--	-------------------------	---------	----------------

Mechanical Attachment

High Voltage Relay Mounting Type	Side Mount
----------------------------------	------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | Kilovac LEV200







Definite Purpose Contactors(1)



General Purpose Contactors(4)



Customers Also Bought



TE Part #2-1625999-6 HSC100 2R2 5%



TE Part #6787634001 ZH-100-3/8-0-SP



TE Part #412147-000 BPTM-120/50-A/U-4(S25)



TE Part #2107832-1 BSMB-150/400

TE Part #1951721-2 BSMB-300-500-ENERCON TE Part #CU5151-000 WCSM-70/20-A/S-C(50)

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_6-1618388-7_E.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_6-1618388-7_E.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_6-1618388-7_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

5-1773450-5_sec7_LEV200

English

LEV200H5ANF

High Voltage Relays, 12 – 900VDC Contact Voltage Rating, 1 Form X, SPST-NO-DM, Flying Leads, Stud Terminals, Without Economizer, Kilovac LEV200

