6-173977-5 - ACTIVE


AMP CT

TE Internal #: 6-173977-5 Connector Assembly, Receptacle, Wire-to-Board, 5 Position, .079 in [2 mm] Centerline, Insulation Displacement (IDC), 1 Row, Black, AMP CT

View on TE.com >

Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings >

AMP COMMON TERMINATION HOUSINGS



Connector Product Type: Connector Assembly

Connector & Housing Type: Receptacle

Connector System: Wire-to-Board

Number of Positions: 5

Centerline (Pitch): 2 mm [.079 in]

All AMP COMMON TERMINATION HOUSINGS (176)

Features

Product Type Features

Connector Product Type

E TE

Connector Assembly

Mechanical Attachment		
Termination Method to Wire & Cable	Insulation Displacement (IDC)	
Termination Features		
Contact Current Rating (Max)	2 A	
Contact Features		
Primary Product Color	Black	
Body Features		
Number of Rows	1	
Number of Positions	5	
Configuration Features		
Connector & Contact Terminates To	Wire & Cable	
Sealable	No	
Connector System	Wire-to-Board	
Connector & Housing Type	Receptacle	

C For support call+1 800 522 6752

Connector Assembly, Receptacle, Wire-to-Board, 5 Position, .079 in [2 mm] Centerline, Insulation Displacement (IDC), 1 Row, Black, AMP CT



Mating Retention	Without
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PBT GF
Centerline (Pitch)	2 mm[.079 in]
Usage Conditions	
Operating Temperature Range	-30 – 105 °C[-22 – 221 °F]
Operation/Application	
Circuit Application	Power & Signal
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235)

2023 (235) Does not contain REACH SVHC

Not Low Halogen - contains Br or Cl > 900 ppm.

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

Halogen Content

Solder Process Capability


Connector Assembly, Receptacle, Wire-to-Board, 5 Position, .079 in [2 mm] Centerline, Insulation Displacement (IDC), 1 Row, Black, AMP CT





TE Part # 6-292145-5	TE Part # 6-292165-5	TE Part # 6-292170-5	TE Part # 911790-1
CT P/HDR ASSY V 5P W/O KINK BL	CT P/HDR BOX V 5P T/P BLACK	CT P/HDR ASSY 5P V W/O KINK T	WEZAG PISTOL GRIP TOOL

Also in the Series AMP CT



Customers Also Bought

Connector Assembly, Receptacle, Wire-to-Board, 5 Position, .079 in [2 mm] Centerline, Insulation Displacement (IDC), 1 Row, Black, AMP CT







Documents

CAD Files

Customer View Model ENG_CVM_CVM_6-173977-5_M.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_6-173977-5_M.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_6-173977-5_M.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English

Instruction Sheets MINI PRESS CT CONNECTOR (WAS IS-553J)

Japanese

Connector Assembly, Receptacle, Wire-to-Board, 5 Position, .079 in [2 mm] Centerline, Insulation Displacement (IDC), 1 Row, Black, AMP CT



Instruction Sheet (non U.S.)

Japanese

Agency Approvals CSA Certificate

English