RN73C1J511KBTD <

Holsworthy | Holsworthy RN73

TE Internal #: 6-1879207-9 511K Ω, Thin Film, Precision Resistor, .1 %, 2 Termination, 0603, Taped & Reeled, .063 W, ±10 ppm/°C, Solder, 1.55 x .8 x .45 mm, Holsworthy RN73

View on TE.com >

Passive Components > Resistors > Surface Mount Resistors



Resistor Type: Precision Resistor

Number of Terminations: 2

Package Size Code: 0603

Packaging Method: Taped & Reeled

Passive Component Tolerance: .1 %

Features

E T E connectivity

Product Type Features

Product Type	Fixed Resistor
Resistor Type	Precision Resistor
Package Size Code	0603
Element Type	Thin Film
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Voltage Rating	50 V
Passive Component Tolerance	.1 %
Resistance Class	$1k\Omega - 1M\Omega$
Resistance Value	511ΚΩ
Power Rating	.063 W
Termination Features	
Number of Terminations	2

C For support call+1 800 522 6752

RN73C1J511KBTD

511K Ω, Thin Film, Precision Resistor, .1 %, 2 Termination, 0603, Taped & Reeled, .063 W, ±10 ppm/°C, Solder, 1.55 x .8 x .45 mm, Holsworthy RN73



Surface Mount Resistor Termination Type	Solder
Dimensions	
Passive Component Dimensions	1.55 x .8 x .45 mm
Usage Conditions	
Temperature Coefficient	±10 ppm/°C
Packaging Features	
Packaging Method	Taped & Reeled
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant

China RoHS 2 Directive MIIT Order No 32, 2016

EU REACH Regulation (EC) No. 1907/2006

No Restricted Materials Above Threshold

Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Reflow solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts


RN73C1J511KBTD

511K Ω, Thin Film, Precision Resistor, .1 %, 2 Termination, 0603, Taped & Reeled, .063 W, ±10 ppm/°C, Solder, 1.55 x .8 x .45 mm, Holsworthy RN73






Also in the Series | Holsworthy RN73



Customers Also Bought



TE Part #1623728-8 BCHE 11 W 1K5 5%	TE Part #5-1437719-7 T01-0560-S04-FEMALE REC PANEL- PCB MNT RA	TE Part #5650945-5 ASSY,PIN,EUROCARD,TYPE C,LEAD-	TE Part #5-104549-7 50 SYS50 S/M HDR DRST SHRDSN
TE Part #5-146258-5 10 MODII HDR DRST B/A .100CL	TE Part #3-2319847-7 END STACK DIP 6P J RAISED T&R	TE Part #9-1768035-1 PRP15-01RT	

Documents

Product Drawings RN 0603 511K 0.1% 10PPM 5K RL

English

Datasheets & Catalog Pages High Precision Resistors (SMD) - Type RN73 Series - Tyco Electronics Passives English

RN73C1J511KBTD

511K Ω, Thin Film, Precision Resistor, .1 %, 2 Termination, 0603, Taped & Reeled, .063 W, ±10 ppm/°C, Solder, 1.55 x .8 x .45 mm, Holsworthy RN73

