



Passive Components > Resistors > Through-Hole Resistors



Resistor Type: **General Purpose Resistor**

Passive Component Dimensions: **41 x 8.5 mm**

Number of Terminations: **2**

Packaging Method: **Box**

Passive Component Tolerance: **5 %**

Features

Product Type Features

|               |                          |
|---------------|--------------------------|
| Product Type  | Fixed Resistor           |
| Resistor Type | General Purpose Resistor |
| Element Type  | Metal Oxide Film         |

Configuration Features

|                     |   |
|---------------------|---|
| Number of Resistors | 1 |
|---------------------|---|

Electrical Characteristics

|                             |                           |
|-----------------------------|---------------------------|
| Voltage Rating              | 750 V                     |
| Passive Component Tolerance | 5 %                       |
| Resistance Class            | 1k $\Omega$ – 1M $\Omega$ |
| Resistance Value            | 16K $\Omega$              |
| Power Rating                | 8 W                       |

Body Features

|                             |              |
|-----------------------------|--------------|
| Passive Component Lead Type | Axial-Leaded |
|-----------------------------|--------------|



Termination Features

|                                             |                     |
|---------------------------------------------|---------------------|
| Number of Terminations                      | 2                   |
| Passive Component Termination Material Type | Tinned Copper Leads |

Dimensions

|                              |             |
|------------------------------|-------------|
| Passive Component Dimensions | 41 x 8.5 mm |
|------------------------------|-------------|

Usage Conditions

|                             |                                   |
|-----------------------------|-----------------------------------|
| Operating Temperature Range | -55 – 155 $^{\circ}\text{C}$      |
| Temperature Coefficient     | $\pm 350$ ppm/ $^{\circ}\text{C}$ |

Packaging Features

|                  |     |
|------------------|-----|
| Packaging Method | Box |
|------------------|-----|

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

|                                               |                                                                                                                                 |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Compliant                                                                                                                       |
| EU ELV Directive 2000/53/EC                   | Compliant                                                                                                                       |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold                                                                                         |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2023 (235)<br>Candidate List Declared Against: JUNE 2023 (235)<br>Does not contain REACH SVHC |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free                                             |
| Solder Process Capability                     | Wave solder capable to 265 $^{\circ}\text{C}$                                                                                   |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

ROX8J16K

16K  $\Omega$ , Metal Oxide Film, General Purpose Resistor, 5 %, 41 x 8.5 mm, 2 Termination,  
Box, 8 W,  $\pm 350$  ppm/ $^{\circ}\text{C}$ , Tinned Copper Leads Termination, Neohm ROX





TE Part # 2-1625892-1  
3W SM M/OX 5% 1K0



TE Part # 4-1625886-1  
1W SM M/OX 5% 820K



TE Part # 6-1676123-7  
1/2W SM M/OX 5% 470R



TE Part # 1625881-2  
1W STD M/OX 2% 220R



TE Part # 1625893-5  
5W SM M/OX 5% 47K

Also in the Series | [Neohm ROX](#)



[Through-Hole Resistors\(798\)](#)

Customers Also Bought



TE Part #5-1437624-9  
PKG40B1/8=KNOB PLASTIC 1/8 LEX



TE Part #9-2176415-1  
8W STD M/OX 5% 160K



TE Part #8-2176415-4  
8W STD M/OX 5% 82K



TE Part #8-2176415-5  
8W STD M/OX 5% 91K



TE Part #6-2176415-1  
8W STD M/OX 5% 9K1





Documents

Product Drawings

8W STD M/OX 5% 16K

English

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_6-2176415-7\_BA.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_6-2176415-7\_BA.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_6-2176415-7\_BA.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Flame Proof Power Metal Oxide Film Resistors - Type ROX Series - Tyco Electronics Passives

English