

AMP | AMP MCP 2.8, AMP MCP Connector System

TE Internal #: 6-968975-1 Housing for Female Terminals, Wire-to-Wire, 21 Position, .197 in [5 mm] Centerline, Blue, Signal, Cable Mount (Free-Hanging), Hybrid View on TE.com >



Connectors > Automotive Connectors > Automotive Housings > AMP MCP Unsealed Connector Housings



Connector System: Wire-to-Wire

Number of Positions: 21

Connector & Housing Type: Housing for Female Terminals

Centerline (Pitch): 5 mm [.197 in]

Sealable: No

All AMP MCP Unsealed Connector Housings (197)

Features

Product Type Features

Mixed & Hybrid Connector	No			
Connector Shape	Rectangular			
Connector System	Wire-to-Wire			
Connector & Housing Type	Housing for Female Terminals			
Sealable	No			
Primary Locking Feature	On the Terminal			
Configuration Features				
Number of Positions	21			
Number of Rows	3			
Electrical Characteristics				
Operating Voltage	28 VDC			
Nominal Voltage Architecture	12 V, 24 V			
Body Features				

C For support call+1 800 522 6752

Housing for Female Terminals, Wire-to-Wire, 21 Position, .197 in [5 mm] Centerline, Blue, Signal, Cable Mount (Free-Hanging), Hybrid



Cable Exit Angle	180°
Primary Product Color	Blue
Connector & Keying Code	С
Contact Features	
Contact Size	2.8mm
Contact Type	Receptacle
Mating Tab Width	2.8 mm[.11 in]
Mechanical Attachment	
Terminal Position Assurance	Yes
Strain Relief	Without
Mating Alignment Type	Keyed
Mating Alignment Type Mating Alignment	Keyed With
Mating Alignment	With
Mating Alignment Connector Mounting Type	With

Dimensions

Connector Height	24 mm[.945 in]
Product Length	37.5 mm[1.476 in]
Usage Conditions	
Operating Temperature (Max)	70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C[158 °F][167 °F][176 ° F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F]
Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Quantity	900
Packaging Method	Box
Other	
Serviceable	No
Connector Position Assurance Capable	No

Housing for Female Terminals, Wire-to-Wire, 21 Position, .197 in [5 mm] Centerline, Blue, Signal, Cable Mount (Free-Hanging), Hybrid



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant			
EU ELV Directive 2000/53/EC	Compliant			
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold			
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC			
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free			
Soldar Process Capability	Not applicable for solder process capability			


Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Housing for Female Terminals, Wire-to-Wire, 21 Position, .197 in [5 mm] Centerline, Blue, Signal, Cable Mount (Free-Hanging), Hybrid






Also in the Series AMP MCP 2.8




Connector Seals & Cavity Plugs(1)	Insertion & Extraction Tools(6)	Module Components(1)	PCB Headers & Receptacles(1)	

Also in the Series AMP MCP Connector System




Housing for Female Terminals, Wire-to-Wire, 21 Position, .197 in [5 mm] Centerline, Blue, Signal, Cable Mount (Free-Hanging), Hybrid





Customers Also Bought





TE Part #322822

SOLIS BUTT HR 22-16COM22-18MIL

Documents

Product Drawings MCP2.8 GEH ASSY 21P

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_6-968975-1_F.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_6-968975-1_F.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_6-968975-1_F.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

& For support call+1 800 522 6752

Housing for Female Terminals, Wire-to-Wire, 21 Position, .197 in [5 mm] Centerline, Blue, Signal, Cable Mount (Free-Hanging), Hybrid



Product Specifications Application Specification

English