

61012-3 ✓ ACTIVE

TE Internal #: 61012-3


Crimp Wire Pins, Tabs & Ferrules, Receptacle, Mating Pin Diameter

2.77 mm [.109 in], 18 – 14 AWG Wire Size, .8 – 2 mm² Wire Size

[View on TE.com >](#)



Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules



Crimp Wire Terminal Type: **Receptacle**

Mating Pin Diameter: **2.77 mm [.109 in]**

Wire Size: **1624 – 4106 CMA**

Features

Product Type Features

Compatible With Discrete Wire Type	Solid, Stranded
------------------------------------	-----------------

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Contact Features

Crimp Wire Terminal Type	Receptacle
Mating Pin Diameter	2.77 mm [.109 in]
Barrel Type	Open
Terminal Plating Material	Tin
Terminal Orientation	Straight

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Wire Size	1624 – 4106 CMA
Barrel Inside Diameter	1.65 mm [.065 in]
Terminal Material Thickness	.35 mm [.014 in]
Overall Product Length	16.38 mm [.645 in]



Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

Packaging Features

Packaging Quantity	15000
Packaging Method	Reel

Other

Terminals & Splices Comment	Can be molded.
-----------------------------	----------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 62616-1
PIN .109 (2.77MM) 18-14 AWG 016BR



TE Part # 140712-2
PIN .155 DIA REC 18-14 AWG TPBR



TE Part # 1217142-1
SHUR PLUG 180 12-8 AWG TPBR



TE Part # 2-2150097-1
OCEAN-2.0-APPLICATOR-E-100F



TE Part # 2-2150097-2
OCEAN-2.0-APPLICATOR-E-100FA



TE Part # 2150097-1
OCEAN-2.0-APPLICATOR-E-100F



TE Part # 2150097-2
OCEAN-2.0-APPLICATOR-E-100FA



TE Part # 7-2150097-1
OCEAN-2.0-APPLICATOR-E-100F



TE Part # 7-2150097-2
OCEAN-2.0-APPLICATOR-E-100FA




TE Part # 7-2150097-7
OCEAN_2.0_SPARE_PART_KIT-100F


Customers Also Bought



TE Part #350781-1
06P UMNL CAP HSG




TE Part #640051-1
RING TONGUE .164 18-14 AWG SST



TE Part #62001-2
SPLICE AMVAR 3000-7000 020TPBR



TE Part #2321920-3
Connector Seals: 2.55 mm, Signal Double Lock



TE Part #1-1903391-2
GIC 2.5 W CAP HSG 2P RED




TE Part #3-794616-6
6P MICRO MNL PLUG HSG FREE HNG DBL RW V0



TE Part #3-794617-6
6P, MICRO MNL RCPT HSG, DBL ROW, GW V0

TE Part #2344577-1
MOTOR, STEPPER



Documents

Product Drawings

[PIN .109 RECEPTACLE 18-14 AWG TPBR](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_61012-3_Z.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_61012-3_Z.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_61012-3_Z.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Application Specification](#)

English

[Pin Receptacle Contact With Closed Seam](#)

English

Product Environmental Compliance

[Product Compliance](#)

English

[Product Compliance](#)

English