

61086-1 ✓ ACTIVE

MATE-N-LOK | Commercial MATE-N-LOK

TE Internal #: 61086-1

Power Contacts, Contact, 600 VAC, Tin, 20 – 14 AWG Wire Size, .52
– 2.08 mm² Wire Size, Wire & Cable, Crimp, Power, Pin,
Commercial MATE-N-LOK

[View on TE.com >](#)



Connectors > Power Connectors > Power Contacts



Power Contact Type: **Contact**

Operating Voltage: **600 VAC**

Contact Mating Area Plating Material: **Tin**

Wire Size: **.52 – 2.08 mm²**

Features

Product Type Features

Power Contact Type	Contact
Connector & Contact Terminates To	Wire & Cable

Electrical Characteristics

Operating Voltage	600 VAC
-------------------	---------

Contact Features

Contact Shape & Form	Round
Barrel Type	Open
Contact Mating Area Plating Material	Tin
Contact Current Rating (Max)	10 A
Contact Type	Pin
Contact Retention Within Housing	With
Mating Pin Diameter	3.96 mm [.156 in]
Contact Base Material	Brass
Wire Contact Termination Area Plating Thickness	.4 μm [15.74 μin]
Wire Contact Termination Area Plating Material	Tin



Wire Contact Termination Area Plating Material Finish	Bright
---	--------

Contact Orientation	Straight
---------------------	----------

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Mechanical Attachment

Contact Retention Type Within Housing	Locking Lance
---------------------------------------	---------------

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Wire Size	.52 – 2.08 mm ²
-----------	----------------------------

Compatible Insulation Diameter Range	3.18 mm[.125 in]
--------------------------------------	------------------

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power
---------------------	-------

Industry Standards

Agency/Standard	CSA, UL
-----------------	---------

Packaging Features

Packaging Quantity	3500
--------------------	------

Packaging Method	Reel
------------------	------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
--	---











Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---

Solder Process Capability	Not applicable for solder process capability
---------------------------	--










Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts

 <p>TE Part # 794413-1 03P .156 MNL CAP HSG</p>	 <p>TE Part # 794118-1 04P .156 MNL CAP PANEL MOUNT</p>	 <p>TE Part # 794117-1 04P .156 MNL CAP FREE-HANGING</p>	 <p>TE Part # 2305570-1 Strip Terminal Cutter-Side Feed-No Crimp</p>
 <p>TE Part # 153256-1 3 M/M LANCE LESS SOCKET</p>	 <p>TE Part # 2151606-1 OCEAN-2.0-APPLICATOR-S-100F155F</p>	 <p>TE Part # 2151606-2 OCEAN-2.0-APPLICATOR-S-100F155FA</p>	 <p>TE Part # 7-2151606-1 OCEAN-2.0-APPLICATOR-S-100F155F</p>
 <p>TE Part # 7-2151606-2 OCEAN-2.0-APPLICATOR-S-100F155FA</p>	 <p>KIT REPRESENTATION ONLY TE Part # 7-2151606-7 OCEAN_2.0_SPARE_PART_KIT-100F155F</p>		

Also in the Series | **Commercial MATE-N-LOK**



Customers Also Bought



Documents



Product Drawings

[.156 MNL PIN 20-14 PTPBR](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_61086-1_P.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_61086-1_P.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_61086-1_P.3d_stp.zip](#)

English

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_61086-1_N.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_61086-1_N.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_61086-1_N.2d_dxf.zip](#)

English

[3D PDF](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[SOFT_SHELL_PIN_SOCKET_CONNECTORS_STANDARD_DENSITY](#)

English

Product Specifications

[Application Specification](#)

English

[no title](#)

English

[Application Specification](#)

English

Product Environmental Compliance

[MD_61086-1_06122018219_dmtec](#)

English

61086-1

Power Contacts, Contact, 600 VAC, Tin, 20 – 14 AWG Wire Size, .52 – 2.08 mm² Wire Size, Wire & Cable, Crimp, Power, Pin, Commercial MATE-N-LOK



[MD_61086-1_06122018219_dmtec](#)

English