
TE Internal #: 61498-2

Spade Tongue Terminal, 28 – 22 AWG, M3 / #5 Stud Size, 3.18 mm [.125 in] Stud Diameter, Open Barrel, Straight, Tin, Uninsulated

View on TE.com >



Terminals & Splices > Spade Terminals



Spade Terminal Type: Spade Tongue Terminal

Wire Size: 160 – 642 CMA

Stud Size: #5, M3

### **Features**

### **Product Type Features**

Shape Description	Square Spade
Stud Size	#5, M3
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Piercing
Contact Features	
Contact Base Material	Brass

Contact Base Material	Brass
Spade Terminal Type	Spade Tongue Terminal
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Tin
Contact Underplating Material	None
Mechanical Attachment	
Wire Insulation Support	With

#### **Dimensions**

.035 in	



Wire Size	160 – 642 CMA
Stud Diameter	3.18 mm[.125 in]
Tongue Thickness	.41 mm[.016 in]
Product Length	14.73 mm[.58 in]
Barrel Inside Diameter	.89 mm[.035 in]
Compatible Insulation Diameter (Max)	1.02 mm[.04 in]
Compatible Insulation Diameter Range	.89 – 1.02 mm[.035 – .04 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-40 - 110 °C[-40 - 230 °F]
Operation/Application	
Compatible With Wire Base Material	Copper

## Industry Standards

Government Qualified Terminal	No	
-------------------------------	----	--

### **Packaging Features**

Packaging Quantity	28000
Packaging Method	Strip/Reel

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as



EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

### Compatible Parts



SPADE 26-22 AWG TPBR



TE Part # 60774-2 SPADE TERMINAL 18-14 AWG TPBR



TE Part # 42339-2 SPADE TERMINAL (ST) TERMINAL **TPBR** 



TE Part # 350502-1 SPADE TERMINAL (ST) 28-22 AWG PTPBR



TE Part # 350502-2 SPADE TERMINAL (ST) 28-22 AWG



TE Part # 140791-2 WIRE TERMINAL 18-14 AWG 0.24 X. 394 TPBR



TE Part # 60389-2 ST .138 DIA TERMINAL 20-16 AWG



TE Part # 61498-1 SPADE 28-22 AWG .0157 X .310 BR


# Customers Also Bought







TE Part #229974-1 IDC D-Sub: Plug Assembly, Signal, Cable to Cable, 2.16 mm



TE Part #3-643814-4 04P MTA100 CONN ASSY POL RIB





TE Part #1-52929-0 TERMINAL, PIDG SPR SPD 22-16 6



TE Part #552008-1 KIT, COVER, 180, 50 POS



TE Part #1-103957-2 10X2 MTE RCPT SR LATCH .100CL







#### **Documents**

### **Product Drawings**

SPADE 28-22 AWG .0157 X .310 TPBR

English

#### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_61498-2\_P.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_61498-2\_P.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_61498-2\_P.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### **Product Specifications**

**Application Specification** 

English