TE Internal #: 61505-2


Closed Ring Tongue Terminal, #5 / M3 Stud Size, 3.25 mm [.128 in]

Stud Diameter, Open Barrel, Straight, Tin, Uninsulated

View on TE.com >



Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Stud Size: #5, M3

Stud Diameter: 3.25 mm [.128 in]
Tongue Thickness: .36 mm [.014 in]

₹7E

Barrel Type: Open

Features

Product Type Features

Shape Description	Circular/Oval
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#5, M3
Sealable	No
Compatible With Discrete Wire Type	Tinsel Wire
Wire Insulation Support Retention Type	Insulation Piercing
Configuration Features	
Number of Holes	1
Contact Features	
Contact Base Material	Brass
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Tin
Contact Underplating Material	Nickel
Mechanical Attachment	



Wire Insulation Support	With
Dimensions	
	.03 in
Stud Diameter	3.25 mm[.128 in]
Tongue Thickness	.36 mm[.014 in]
Product Length	11.18 mm[.44 in]
Barrel Inside Diameter	.76 mm[.03 in]
Compatible Insulation Diameter (Max)	.89 mm[.035 in]
Compatible Insulation Diameter Range	.76 – .89 mm[.03 – .035 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-40 - 110 °C[-40 - 230 °F]
Operation/Application	
Compatible With Wire Base Material	Copper
Industry Standards	
Government Qualified Terminal	No
Packaging Features	
Packaging Quantity	13000
Packaging Method	Strip/Reel
Other	
Terminals & Splices Comment	Insulation penetrating.

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC



Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Customers Also Bought























Documents

Product Drawings

RING TINSEL WIRE TPBR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_61505-2_R_c-61505-2-r.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_61505-2_R_c-61505-2-r.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_61505-2_R_c-61505-2-r.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English