



Wire Protection & Management > Heat Shrink Shapes > Cable Transitions & Breakouts



Number of Branches & Legs: 4

Material Code: 3

Material Systems Code: 10

Adhesive Requirement: **Adhesive Purchased Separately**

Operating Temperature Range: -55 – 135 °C [-67 – 275 °F]

### Features

#### Configuration Features

|                           |                               |
|---------------------------|-------------------------------|
| Number of Branches & Legs | 4                             |
| Adhesive Requirement      | Adhesive Purchased Separately |

#### Body Features

|                          |                     |
|--------------------------|---------------------|
| Primary Product Material | Modified Polyolefin |
| Material Code            | 3                   |
| Material Systems Code    | 10                  |

#### Usage Conditions

|                             |                            |
|-----------------------------|----------------------------|
| Operating Temperature Range | -55 – 135 °C[-67 – 275 °F] |
|-----------------------------|----------------------------|

#### Other

|                            |            |
|----------------------------|------------|
| Heat Shrink Shapes Comment | Heavy Duty |
|----------------------------|------------|

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

|   |  |
|---|--|
| EU RoHS Directive 2011/65/EU                  | Compliant  |
| EU ELV Directive 2000/53/EC                   | Compliant  |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold  |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2023 (235)<br>Candidate List Declared Against: JUNE 2023 (235) |

Does not contain REACH SVHC

Halogen Content

Not Yet Reviewed for halogen content


Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


### Customers Also Bought




TE Part #806087-000  
202C611-71-0



TE Part #DT04-6P-CL06  
REC, 6P, BLK, E, FLANGE



TE Part #814346-000  
202D132-25-0



TE Part #829098-000  
322A412-25-0




TE Part #1-2208686-1  
21POS,AMP MCP2.8,REC HSG,ASSY



TE Part #2112233-1  
COVER,90,FOR 46POS



TE Part #YDBC54H-2221PNV001  
HERM RECP



TE Part #0818-202-2401  
FOLLOWER,BACKSHL

### Documents

Product Drawings

F-23-FR

English

Datasheets & Catalog Pages

Raychem Molded Parts Visual Guide

English

Product Specifications

Product Specification



English

[Raychem S1297 and /97 Hot Melt Adhesive](#)

English