

FASTON | FASTON 187

TE Internal #: 61914-1


PCB Terminals, Tab, Mating Tab Width .187 in [4.75 mm], Through Hole - Screw, Tin Plating, None, Bag, Terminates To Printed Circuit

Board, FASTON 187

View on TE.com >



Terminals & Splices > PCB Terminals



PCB Terminal Type: Tab

Mating Tab Width: 4.75 mm [.187 in]

Mating Tab Thickness: .51 mm [.02 in]

Profile Height from PCB: 11 mm [.433 in]

Termination Method to Printed Circuit Board: Through Hole - Screw

Features

Product Type Features

| Terminal Features | Stud Hole |
|---|----------------------|
| Contact Features | |
| PCB Contact Termination Area Plating Material Thickness | 1.01 μm[40 μin] |
| Contact Mating Area Plating Material Thickness | 1.01 μm[40 μin] |
| PCB Terminal Type | Tab |
| Mating Tab Width | 4.75 mm[.187 in] |
| Mating Tab Thickness | .51 mm[.02 in] |
| Terminal Plating Material | Tin |
| Contact Underplating Material | None |
| Terminal Size | 4.75 |
| Terminal Orientation | Right Angle |
| Termination Features | |
| Termination Method to Printed Circuit Board | Through Hole - Screw |

Printed Circuit Board

Product Terminates To



Dimensions

| Stud Diameter | 5 mm[.197 in] |
|-------------------------|----------------|
| Profile Height from PCB | 11 mm[.433 in] |

Usage Conditions

| Insulation Option | Uninsulated |
|-----------------------------|----------------------------|
| Operating Temperature Range | -40 - 105 °C[-40 - 221 °F] |

Industry Standards

| Agency/Standard | CSA, UL |
|-----------------|---------|
| 3 7 | , |

Packaging Features

| Packaging Quantity | 1000 |
|--------------------|------|
| Packaging Method | Bag |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



Compatible Parts

















Also in the Series | FASTON 187














Customers Also Bought

09/26/2023 11:13AM | Page 3























Documents

Product Drawings
187 FASTON TAB PBR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_61914-1_H.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_61914-1_H.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_61914-1_H.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

PCB Terminals, Tab, Mating Tab Width .187 in [4.75 mm], Through Hole - Screw, Tin Plating, None, Bag, Terminates To Printed Circuit Board, FASTON 187



FASTON Tabs

English

Product Specifications

Application Specification

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English