TE Internal #: 63482-1

Ring Terminals & Spade Terminals, Ring Tongue, 18 – 14 AWG

Wire Size, .8 – 2 mm² Wire Size, 1624 – 4106 CMA Wire Size, Stud

Size #10

View on TE.com >



Terminals & Splices > Ring Terminals & Spade Terminals











Ring & Spade Terminal Type: Ring Tongue

Wire Size: 1624 – 4106 CMA

Stud Size: #10

Features

Product Type Features

Shape Description	Anti-Rotational/Grounding
Stud Size	#10
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support

Contact Features

Contact Base Material	Steel
Ring & Spade Terminal Type	Ring Tongue
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Tin
Contact Underplating Material	Nickel
Mechanical Attachment	

Dimensions

Wire Insulation Support

.105 in	

With



Wire Size	1624 – 4106 CMA
Stud Diameter	4.82 mm[.19 in]
Tongue Thickness	.76 mm[.03 in]
Product Length	19.56 mm[.77 in]
Barrel Inside Diameter	1.62 mm, 3.17 mm[.064 in][.125 in]
Compatible Insulation Diameter (Max)	3.68 mm[.145 in]
Compatible Insulation Diameter Range	2.66 – 3.68 mm[.105 – .145 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-40 - 110 °C[-40 - 230 °F]
Operation/Application	
Compatible With Wire Base Material	Copper
Industry Standards	
Government Qualified Terminal	No
Packaging Features	
Packaging Quantity	8000

Product Compliance

Packaging Method

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Strip/Reel

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as



EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 2-2150187-1
OCEAN_2.0_APPLICATOR-E-120F180F



TE Part # 2-2150187-2 OCEAN_2.0_APPLICATOR-E-120F180F



TE Part # 2150187-1
OCEAN_2.0_APPLICATOR-E-120F180F




TE Part # 2150187-2 OCEAN_2.0_APPLICATOR-E-120F180F



TE Part # 7-2150187-1
OCEAN_2.0_APPLICATOR-E-120F180F



TE Part # 7-2150187-2 OCEAN_2.0_APPLICATOR-E-120F180F



TE Part # 7-2150187-7

OCEAN_2.0_SPARE_PART_KIT120F180F

Customers Also Bought



TE Part #5-1971773-3
PTL 1X3 PLUG HSG HIGH TEMP KEY
A LGR




TE Part #521367-1 ULTRA POD: Straight, Receptacle Assembly, Unplated, .250 inch



TE Part #521411-1 ULTRA-POD 250 ASY REC 22-18 AWG BR




TE Part #61795-3 RING 18-14 AWG TPBR



TE Part #63609-1 250 FASTON REC 22-18 AWG BR



TE Part #63435-1 250 FASTON REC 14-10 AWG SPBR



TE Part #1-480487-2
FASTON 187 FLAG HSG NYLON NAT LP



TE Part #5-1969536-4 HSG,RECP,POSILOK MKIII ,250SER,3P, 2CIR





Documents

Product Drawings

RING 18-14 AWG TPSTL

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_63482-1_K.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_63482-1_K.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_63482-1_K.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English

Product Environmental Compliance

MD_63482-1_032020181243_dmtec

English

MD_63482-1_032020181243_dmtec

English