63678-2 - ACTIVE

TE Internal #: 63678-2 Closed Ring Tongue Terminal, 18 – 14 AWG, M4 / #8 Stud Size, 4.34 mm [.171 in] Stud Diameter, Open Barrel, Straight, Tin, Uninsulated

View on TE.com >

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: **1624 – 4106 CMA**

Stud Size: **#8, M4**

Features

Product Type Features

Shape Description

Circular/Oval



Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#8, M4
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Number of Holes	1
Contact Features	
Contact Base Material	Brass
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Tin
Contact Underplating Material	Nickel
Mechanical Attachment	
Wire Insulation Support	With

63678-2

Closed Ring Tongue Terminal, 18 – 14 AWG, M4 / #8 Stud Size, 4.34 mm [.171 in] Stud Diameter, Open Barrel, Straight, Tin, Uninsulated



Dimensions

	.12 in
Wire Size	1624 – 4106 CMA
Stud Diameter	4.34 mm[.171 in]
Tongue Thickness	.51 mm[.02 in]
Product Length	16.26 mm[.64 in]
Barrel Inside Diameter	1.9 mm, 3.55 mm[.075 in][.14 in]
Compatible Insulation Diameter (Max)	4.32 mm[.17 in]
Compatible Insulation Diameter Range	3.05 – 4.32 mm[.12 – .17 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-40 - 110 °C[-40 - 230 °F]
Operation/Application	
Compatible With Wire Base Material	Copper
Industry Standards	
Government Qualified Terminal	No
Packaging Features	

Packaging Quantity	12500
Packaging Method	Strip/Reel
Other	
Terminals & Splices Comment	Recommended for 2 wire applications
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC

C For support call+1 800 522 6752

63678-2

Closed Ring Tongue Terminal, 18 – 14 AWG, M4 / #8 Stud Size, 4.34 mm [.171 in] Stud Diameter, Open Barrel, Straight, Tin, Uninsulated



Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 41332-1 RING TERMINAL 18-14 AWG NPST



TE Part # 2150038-1 OC-AT-E-FM-120F180F-001-0080



TE Part # 2150038-2 OC-AT-E-FA-120F180F-001-0080



TE Part # 41332-5 RING 18-14 AWG TPBR



Customers Also Bought




63678-2

Closed Ring Tongue Terminal, 18 – 14 AWG, M4 / #8 Stud Size, 4.34 mm [.171 in] Stud Diameter, Open Barrel, Straight, Tin, Uninsulated







Documents

Product Drawings RING 18-14 AWG TPBR

English

CAD Files 3D PDF

3D

Customer View Model ENG_CVM_CVM_63678-2_F_c-63678-2-f.2d_dxf.zip

English

Customer View Model

```
ENG_CVM_CVM_63678-2_F_c-63678-2-f.3d_igs.zip
```

English

Customer View Model

```
ENG_CVM_CVM_63678-2_F_c-63678-2-f.3d_stp.zip
```

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications
Application Specification

English

Product Environmental Compliance TE Material Declaration

English