

63823-1 ✓ ACTIVE

FASTON | FASTON 187


TE Internal #: 63823-1

PCB Terminals, Tab, Mating Tab Width .187 in [4.75 mm], PCB Hole Diameter 1.32 mm [.052 in], Through Hole - Solder, Tin Plating, Brass, FASTON 187

[View on TE.com >](#)



Terminals & Splices > PCB Terminals



PCB Terminal Type: **Tab**

PCB Thickness (Recommended): 1.57 mm [.062 in]

Mating Tab Width: 4.75 mm [.187 in]

Mating Tab Thickness: .51 mm [.02 in]

PCB Hole Diameter: 1.32 mm [.052 in]

Features

Contact Features

PCB Contact Termination Area Plating Material Thickness	3.81 μ m[150 μ in]
Contact Underplating Material Thickness	1.27 μ m, 2.54 μ m[50 μ in][100 μ in]
Contact Mating Area Plating Material Thickness	3.81 μ m[150 μ in]
PCB Terminal Type	Tab
Mating Tab Width	4.75 mm[.187 in]
Mating Tab Thickness	.51 mm[.02 in]
Terminal Plating Material	Tin
Contact Underplating Material	Brass
Terminal Size	4.75
Terminal Orientation	Straight

Termination Features

Termination Method to Printed Circuit Board	Through Hole - Solder
Product Terminates To	Printed Circuit Board

Mechanical Attachment



Wire Insulation Support	With
-------------------------	------

Dimensions

Extension Below Board	3.81 mm[.15 in]
Terminal Material Thickness	.51 mm[.02 in]
PCB Thickness (Recommended)	1.57 mm[.062 in]
PCB Hole Diameter	1.32 mm[.052 in]
Profile Height from PCB	8.63 mm[.344 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-30 – 110 °C[-22 – 230 °F]

Packaging Features

Packaging Quantity	16000
Packaging Method	Reel

Other

Terminals & Splices Comment	Insertion equipment available.
-----------------------------	--------------------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part

numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # 62395-1 110 FASTON TAB TPBR</p>	 <p>TE Part # 62221-1 187 FASTON TAB TPBR</p>	 <p>TE Part # 1217133-1 187 FASTON,PCB TAB,TNBR</p>	 <p>TE Part # 63756-1 110 FASTON TAB TPBR</p>
 <p>TE Part # 61968-1 110 FASTON TAB TPBR</p>	 <p>TE Part # 63603-1 187 FASTON TAB TPBR</p>	 <p>TE Part # 1217062-1 187 FASTON,FLAG,PCB TAB,TNBR</p>	 <p>TE Part # 1742361-1 187 FASTON,PCB TAB,TPBR</p>
 <p>TE Part # 1742428-1 110 FASTON,TAB,PCB,TPBR</p>	 <p>TE Part # CAT-P100 Pin Insertion Machine P100</p>	 <p>TE Part # CAT-P280 P280 PIN INSERTION MACHINE</p>	 <p>TE Part # CAT-P300 Pin Insertion Machine P300</p>
 <p>TE Part # CAT-P360 P360 Pin Insertion Machine</p>	 <p>TE Part # CAT-P550 Pin Insertion Machine P550</p>	 <p>TE Part # 63838-1 187 FASTON TAB TPBR</p>	 <p>TE Part # 2410420-3 EP PIN INSERTION MACHINE</p>

Also in the Series | **FASTON 187**



Crimp Terminal Housings(42)



Insertion & Extraction Tools(1)



Joints & Splices(1)



PCB Terminals(42)



Quick Disconnects(209)



Splices(1)

Customers Also Bought



TE Part #6-1393788-9
V23079E1203B301



TE Part #179841-1
AMP POWER D/LOCK T/HDR ASSY 6P



TE Part #1-5102156-2
A/L UNIV HDR 64P VERT



TE Part #1558676-9
T9GS1L24-110



TE Part #175019-1
187 PL EX FLAG REC. 22-16AWG PTBR



TE Part #1437597-1
2SKF131AEL01=NON UL 110VAC



TE Part #5-146261-1
02 MODII HDR DRST B/A .100CL LF



TE Part #3-1623774-9
C14 6K8 5% (LOOSE)



TE Part #641936-6
09P MTA156 HDR ASSY F/L W/O#8

Documents



Product Drawings

187 FASTON TAB TPBR

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_63823-1_AB_c-63823-1-ab.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_63823-1_AB_c-63823-1-ab.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_63823-1_AB_c-63823-1-ab.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

FASTON PCB Tabs and Receptacles

English

Product Specifications

FASTON* 110, 187, 205, 250, and 312 Series Tab Contacts for Printed Circuit (PC) Board Applications

English

Product Specification

English

Product Environmental Compliance

Product Compliance Document

English

Product Compliance Document

English

Agency Approvals

CSA Certificate

English

CSA Certificate

English