




Connectors > Automotive Connectors > Automotive Housings



Connector System: **Wire-to-Wire**

Number of Positions: **12**

Centerline (Pitch): **2.54 mm [.1 in]**

Sealable: **No**

Mating Tab Width: **.64 mm [.025 in]**

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector System	Wire-to-Wire
Sealable	No

Configuration Features

Number of Positions	12
Number of Rows	2

Body Features

Primary Product Color	Black
Connector & Keying Code	A

Contact Features

Contact Size	.64mm
Mating Tab Width	.64 mm[.025 in]

Mechanical Attachment

Terminal Position Assurance	Yes
Strain Relief	Without
Mating Alignment Type	Keyed
Mating Alignment	With



Connector Mounting Type	Cable Mount (Free-Hanging)
-------------------------	----------------------------

Housing Features

Housing Material	PBT GF
Centerline (Pitch)	2.54 mm[.1 in]

Dimensions

Connector Height	25.01 mm[.985 in]
Product Width	20.3 mm[.799 in]
Product Length	18 mm[.709 in]
Row-to-Row Spacing	2.54 mm[.1 in]

Operation/Application

Circuit Application	Signal
---------------------	--------

Industry Standards

Agency/Standard	SAE/USCAR-2
UL Flammability Rating	UL 94HB

Packaging Features

Packaging Quantity	25
Packaging Method	Package

Other

Serviceable	No
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free













Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # 638551-3 CONTACT,FEMALE,0.64MM,SN,18-20</p>	 <p>TE Part # 1326028-3 0.64MM FEMALE CONTACT,AU,18-20</p>	 <p>TE Part # 1326028-5 .64MM FEM CONT,AU,18-20,FORMED</p>	 <p>TE Part # 638551-1 CONTACT,FEMALE,0.64MM,SN,18-20</p>
 <p>TE Part # 1326028-2 0.64MM FEMALE CONTACT,AU,22AWG</p>	 <p>TE Part # 638551-4 CONTACT,FEMALE,0.64MM,SN,22</p>	 <p>TE Part # 1326028-1 0.64MM FEMALE CONTACT,AU,18-20</p>	 <p>TE Part # 638551-2 CONTACT,FEMALE,0.64MM,SN,22</p>
 <p>TE Part # 1326028-4 0.64MM FEMALE CONTACT,AU,22AWG</p>	 <p>TE Part # 1326028-6 0.64MM FEMALE CONTACT,AU,22AWG</p>		

Also in the Series | AMP 0.64 Connector System



Automotive Connector Caps & Covers
(20)

Automotive Housings(35)

Automotive Terminals(15)

Insertion & Extraction Tools(1)

Other Automotive Connector
Accessories(2)

PCB Headers & Receptacles(43)

Customers Also Bought

TE Part #CH02926001
QSZH-125-NR1-50MM

TE Part #284716-6
6 POS. MT-II REC. CONNECTOR

TE Part #284875-6
20 POS FEMALE CONN ASSY

TE Part #1473247-2
MQS 81P LEVER(R) ASSY

TE Part #1473255-3
LEVER ASSY TYPE-A 40POS

TE Part #2236046-8
32POS, MIXED, MALE CONN., CLIP2,
COD B

TE Part #2236047-2
32POS,MIXED,RECEPTACLE
CONNECTOR,COD B

TE Part #2297818-1
SINGLE WIRE SEAL,HPF 1.2,RUBBER

TE Part #456414-9
CRIMPER, WIRE 160F

TE Part #281991-2
HSG FOR P-LOCK MK I TERM

Documents



Product Drawings

ASSY,12P PLUG "A" KEY, W/O CPA

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_638394-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_638394-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_638394-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Instruction Sheets

Instruction Sheet (U.S.)

English