


SL-156

TE Internal #: 640255-1

PCB Connector Keying, Keying Plug, -55 – 105 °C [-67 – 221 °F], SL-156

[View on TE.com >](#)

Connectors > PCB Connectors > PCB Connector Accessories > PCB Connector Keying

Connector Keying Accessory Type: **Keying Plug**

Operating Temperature Range: -55 – 105 °C [-67 – 221 °F]

Features

Product Type Features

Connector Keying Accessory Type	Keying Plug
---------------------------------	-------------

Body Features

Primary Product Material	Nylon 6/6
Primary Product Color	Natural

Usage Conditions

Operating Temperature Range	-55 – 105 °C [-67 – 221 °F]
-----------------------------	-----------------------------

Industry Standards

UL Flammability Rating	UL 94V-2
------------------------	----------

Packaging Features

Packaging Quantity	2500
Packaging Method	Bag

Other

Connector Accessory Comment	Used with staked post.
-----------------------------	------------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-103156-RECHS
Connector Housing, Rectangular, 3.96 mm, 1 Row



TE Part # CAT-103156-WBHSM
Receptacle Housing: Wire-to-Board, with Mating Alignment, SL156



TE Part # 640254-1
KEYING PLUG .045 SQ PST CONN



TE Part # 2-2132074-0
20Pos SL156 Contact Retainer



TE Part # 2327576-1
06P SL156 HSG NO3P THRU BD LTH UL94V0



TE Part # 3-770849-2
02P SL156 HSG W/LCK RMP & TABS BLACK



TE Part # 5-770849-2
02P SL156 HSG W/LCK RMP & TABS RED


Also in the Series | SL-156



Insertion & Extraction Tools(1)



PCB Connector Keying(2)



PCB Latches, Locks & Retainers(1)



Rectangular Connector Housings(11)



Rectangular Connector Keying Plugs(1)





Wire-to-Board Connector Assemblies & Housings(140)



Wire-to-Board Connector Contacts(23)

Customers Also Bought

TE Part #1-66100-9
III+ SKT,18-16,TIN ,STRIPTE Part #1-640251-0
Receptacle Housing: Wire-to-Board,
no Mating Alignment, SL 156TE Part #794954-6
6P RCPT VAL-U-LOK V2TE Part #60773-2
SPADE TERMINAL 18-14 AWG TPBRTE Part #640254-1
KEYING PLUG .045 SQ PST CONNTE Part #282847-4
TERMI-BLOK PCB MOUNT 35 4P.5TE Part #2-36161-2
TERM, PIDG, R, 12-10, #10, T&RTE Part #2-382811-1
SHUNT, ECON, PHBRSN, BLACK

Documents

Product Drawings

[KEYING PIN .045 SQ PST CONN](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_640255-1_J_c-640255-1-j.2d_dxf.zip](#)



English

Customer View Model

[ENG_CVM_CVM_640255-1_J_c-640255-1-j.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_640255-1_J_c-640255-1-j.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

Application Specification

Japanese

Application Specification

English

MTA 156 Ribbon Cable Connector Assemblies (English And Spanish)

English

MTA 156 Ribbon Cable Connector Assemblies (English And Spanish)

Japanese

Agency Approvals

CSA Certificate

English