

66023-4 ✓ ACTIVE

FASTON


TE Internal #: 66023-4

Quick Disconnects, Tab, 22 – 16 AWG Wire Size, .3 – 1.5 mm<sup>2</sup> Wire Size, 592 – 3260 CMA Wire Size, Mating Tab Width 6.35 mm [.25 in], Straight

[View on TE.com >](#)



Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Tab**

Wire Size: **592 – 3260 CMA**

Mating Tab Width: **6.35 mm [.25 in]**

## Features

### Configuration Features

Compatible With Wire & Cable Type

Discrete Wire

### Contact Features

Quick Disconnect Terminal Type

Tab

Mating Tab Width

6.35 mm [.25 in]

Mating Tab Thickness

.81 mm [.032 in]

Terminal Orientation

Straight

Contact Base Material

Copper Alloy

Terminal Plating Material

Tin

Crimp Type

Compression

Barrel Type

Closed

### Termination Features

Product Terminates To

Wire & Cable

### Mechanical Attachment

Wire Insulation Support

Without

### Dimensions



Product Length	23.11 mm[.91 in]
Compatible Insulation Diameter Range	3.68 mm[.145 in]
Wire Size	592 – 3260 CMA

### Usage Conditions

Insulation Option	Partially Insulated
Operating Temperature Range	105 °C[221 °F]

### Packaging Features

Packaging Quantity	5000
Packaging Method	Reel

### Other

Barrel Color	Red
--------------	-----

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



TE Part # 59824-1  
TETRA-CRIMP PIDG PG FASTON 22-10 ASSY



TE Part # 47386  
DAHT PG PIDG 26-16 ASSY



TE Part # 58423-1  
DIE, RBY IS9252



TE Part # 58433-3  
PRO CR ASSY, RBY IS9252



TE Part # 1SET191001R0000  
CRIMP-HT



TE Part # 1SET191002R0000  
TET CRIMP-HT



TE Part # 169404  
CERTI-LOK DIE

## Customers Also Bought




TE Part #36158  
TERMINAL,PIDG R 16-14 6




TE Part #3-640428-6  
06P MTA156 CONN ASSY 22AWG RED



TE Part #2-34150-1  
PG R 22-16 COMM 22-18 MIL 1/4




TE Part #1-966067-9  
FER,WIRE,PL SLV,4.00/12,L10,GREY,LP



TE Part #2-521055-2  
ULTRAFast 250 ASSY TAB 22-18 AWG TPBR



TE Part #2007193-1  
SFP+ 1x1 Cage Assembly, PCI, S




TE Part #2-520261-2  
ULTRA-FAST 187 ASY REC 22-18 TPBR



TE Part #63130-3  
SPLICE REC. 1500-5000 .020 TPBR



TE Part #2-33466-3  
TERMINAL,SOLIS R 6 5/16



TE Part #1-2314790-1  
ZQSFP+ 2X1 BELLY TO BELLY CAGE&CONN



## Documents

### Product Drawings

[TAB,PIDG TERMI-BK 22-16](#)

English

### CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_66023-4\\_U.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_66023-4\\_U.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_66023-4\\_U.3d\\_stp.zip](#)

English

Customer View Model

[ENG\\_CVM\\_66023-4\\_K.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_66023-4\\_K.3d\\_stp.zip](#)

English

Customer View Model

[ENG\\_CVM\\_66023-4\\_K.2d\\_dxf.zip](#)

English

[3D PDF](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Product Environmental Compliance

[Product Compliance](#)

English

[Product Compliance](#)

English