66602-2 - ACTIVE

## AMP | AMP Type III+

TE Internal #: 66602-2 Power Contacts, Contact, Precious Metal, 18 – 14 AWG Wire Size, . 8 – 2 mm<sup>2</sup> Wire Size, Wire & Cable, Crimp, Power & Signal, Pin, AMP Type III+

#### View on TE.com >

Connectors > Power Connectors > Power Contacts > Pin and Socket Contacts, Type III, LP



Power Contact Type: Contact

Contact Mating Area Plating Material: Precious Metal

Wire Size: .8 – 2 mm<sup>2</sup>

Connector & Contact Terminates To: Wire & Cable

## All Pin and Socket Contacts, Type III, LP (53)



## Features

## Product Type Features

Power Contact Type	Contact
Connector & Contact Terminates To	Wire & Cable
Contact Features	
Contact Size	Size 16
Contact Mating Area Plating Material	Precious Metal
Contact Current Rating (Max)	13 A
Contact Type	Pin
Contact Retention Within Housing	With
Mating Pin Diameter	1.57 mm[.062 in]
Contact Base Material	Brass
Contact Mating Area Plating Material Thickness	.76 μm[30 μin]
Contact Mating Area Plating Material Finish	Bright
Wire Contact Termination Area Plating Thickness	1.27 μm[50 μin]

Power Contacts, Contact, Precious Metal, 18 – 14 AWG Wire Size, .8 – 2 mm² Wire Size, Wire & Cable, Crimp, Power & Signal, Pin, AMP Type III+



Wire Contact Termination Area Plating Material	Tin	
Wire Contact Termination Area Plating Material Finish	Bright	
Contact Orientation	Straight	
Contact Underplating Material	Nickel	
Contact Underplating Material Thickness	1.27 μm[50 μin]	
Termination Features		
Termination Method to Wire & Cable	Crimp	
Mechanical Attachment		
Wire Insulation Support	With	
Dimensions		
Wire Size	.8 – 2 mm²	
Compatible Insulation Diameter Range	2.79 – 3.81 mm[.11 – .15 in]	
Usage Conditions		
Operating Temperature Range	-55 – 150 °C[-67 – 302 °F]	
Operation/Application		
Circuit Application	Power & Signal	
Packaging Features		
Packaging Quantity	1000	
Packaging Method	Carton, Loose Piece	
Other		
Power Connectors Comment	Contacts can only be used in Metrimate, Series 1 (Arr. 23-24), Series 4 (Arr. 23-13M, 23-16M, 23-22M), and VDE connectors.	
<b>Product Compliance</b> For compliance documentation, visit the product page on TE.com>		
EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC	

Power Contacts, Contact, Precious Metal, 18 – 14 AWG Wire Size, .8 – 2 mm<sup>2</sup> Wire Size, Wire & Cable, Crimp, Power & Signal, Pin, AMP Type III+



Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**



TE Part # CAT-AM71-C83998C




TE Part # CAT-AM71-C83998Y




TE Part # CAT-AM71-C83998J



TE Part # CAT-AM71-C83998K



# Also in the Series | AMP Type III+



Power Contacts, Contact, Precious Metal, 18 – 14 AWG Wire Size, .8 – 2 mm<sup>2</sup> Wire Size, Wire & Cable, Crimp, Power & Signal, Pin, AMP Type III+



## Customers Also Bought

E TE		ETE	TE TE
TE Part #3-641208-9 09P MTA156 HDR ASSY FL ST LF	TE Part #5-104912-2 08/16 MTE HDR SRST LTCH .100CL	TE Part #1-480701-5 03P UMNL CAP HSG GRN	TE Part #CG3267-000 CI-FN1550
TE Part #098-10125 ML SENSOR 316SS STANDARD	TE Part #1755004-1 MDR-131-1-NMP-0=RLY,SML,NL,4PDT, 115VAC	TE Part #1755006-1 MDR-134-1-NMP-0=RLY,SML,NL,8PDT, 115VAC	TE Part #1755007-1 MDR-135-1-NMP-0=RLY,SML,NL,4PDT, 28VDC

## Documents

**Product Drawings** III+ PIN,18-14,30AU/FL,LP

English

CAD Files

**Customer View Model** 

ENG\_CVM\_CVM\_66602-2\_S.2d\_dxf.zip

English

### 3D PDF

3D

**Customer View Model** ENG\_CVM\_CVM\_66602-2\_S.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_66602-2\_S.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

AMP Circular Connectors for Commercial Signal & Power Applications

English

Signal Contacts

English

M\_SERIES\_PIN\_AND\_SOCKET\_CONNECTORS

English

Power Contacts, Contact, Precious Metal, 18 – 14 AWG Wire Size, .8 – 2 mm<sup>2</sup> Wire Size, Wire & Cable, Crimp, Power & Signal, Pin, AMP Type III+



Product Specifications

**Application Specification** 

English

Product Environmental Compliance Product Compliance Document

English

Product Compliance Document

English

Instruction Sheets Instruction Sheet (U.S.) Japanese

Instruction Sheet (U.S.)

English