### **SOLISTRAND**

TE Internal #: 696711-1

Closed Ring Tongue Terminal, 0 AWG, 3/8 Stud Size, 9.91 mm /

9.53 mm [.39 in] Stud Diameter, Closed Barrel, 45 Bend, Nickel,

Uninsulated

View on TE.com >



Terminals & Splices > Ring Terminals











Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 83700 - 119500 CMA

Stud Size: 3/8

# **Features**

# **Product Type Features**

Terminal Features	Sheared
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	3/8
Sealable	No
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Number of Holes	1
Body Features	
Product Weight	23.034 g
Contact Features	
Barrel Type	Closed
Terminal Orientation	45 Bend
Terminal Plating Material	Nickel
Mechanical Attachment	

Without

Wire Insulation Support



#### **Dimensions**

Wire Size	83700 – 119500 CMA
Stud Diameter	9.53 mm, 9.91 mm[.39 in]
Tongue Thickness	1.78 mm[.07 in]
Product Length	40.74 mm[1.604 in]
Barrel Inside Diameter	11.28 mm[.444 in]

### **Usage Conditions**

Insulation Option	Uninsulated
Operating Temperature Range	343 °C[649 °F]

# **Industry Standards**

Government Qualified Terminal	No
-------------------------------	----

### **Packaging Features**

Packaging Quantity	50
Packaging Method	Loose Piece

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits



as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts



TE Part # 1490414-3 HYP10 SOLIS HD 1/0AWG INDENTER













# Customers Also Bought




TE Part #1958125-1 Kit 12-10,#10,NI,+RT-555-1/4X1



TE Part #EG7675-000 RT-555-1.0-3.75/A287-0



TE Part #EM1313-000 3EQ-26C492-32M-9CS3425







TE Part #696640-1 TE Part #A45404N001 KIT-4,1/4,NI+RT555-.500X1.50 SO175-2-01CS2895

TE Part #D25687N001 SO175-2-00CS2895



TE Part #E41478N001 TE Part #733006-000
D-150-0235-NRCS2896 FR-TAPE-20X10M

# **Documents**

# **Product Drawings**

STRATOTHERM,1/0,3/8,NIPL,45

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_696711-1\_D.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_696711-1\_D.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_696711-1\_D.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

# Datasheets & Catalog Pages

RADIATION\_RESISTANT\_PRE-INSULATED\_TERMINALS\_SPLICES

English