
W92-X112-40 <

Potter & Brumfield | Potter & Brumfield W9

TE Internal #: 7-1393254-9 Circuit Breakers, Magnetic, Series Trip, Black, Operating Voltage 277 VAC, 40A Current Rating, 2 Pole, Potter & Brumfield W9 View on TE.com >



Relays, Contactors & Switches > Circuit Breakers



Circuit Breaker Type: Magnetic

- Circuit Function: Series Trip
- Illuminated: No
- Actuator Color: Black
- Operating Voltage: 277 VAC

Features

Product Type Features

Illumination Type	No Light
Actuator Type	Toggle
Terminal Configuration	10-32 Stud
Circuit Breaker Type	Magnetic

luminated
 annacca

No

\sim	ſ• ,•	F
Con	figuration	Features

1.52 x 2.065 inCircuit FunctionSeries TripNumber of Poles2Electrical Characteristics277 VACOperating Voltage277 VACCurrent Rating40 AInterrupt Capacity5000A @ 277 VACBody FeaturesXActuator ColorBlackContact FeaturesXTrip Time at 200%2.2 – 20 secondsMechanical AttachmentX		
Number of Poles2Electrical CharacteristicsOperating Voltage277 VACCurrent Rating40 AInterrupt Capacity5000A @ 277VACBody FeaturesVActuator ColorBlackContact FeaturesVTrip Time at 200%2.2 – 20 seconds		1.52 x 2.065 in
Electrical Characteristics Operating Voltage Current Rating Interrupt Capacity Body Features Actuator Color Black Contact Features Trip Time at 200%	Circuit Function	Series Trip
Operating Voltage277 VACCurrent Rating40 AInterrupt Capacity5000A @ 277 VACBody FeaturesVActuator ColorBlackContact FeaturesVTrip Time at 200%2.2 – 20 seconds	Number of Poles	2
Current Rating40 AInterrupt Capacity5000A @ 277VACBody FeaturesSouda @ 277VACActuator ColorBlackContact FeaturesSubstrain Statement S	Electrical Characteristics	
Interrupt Capacity5000A @ 277VACBody FeaturesKActuator ColorBlackContact FeaturesXTrip Time at 200%2.2 – 20 seconds	Operating Voltage	277 VAC
Body Features Actuator Color Black Contact Features Trip Time at 200% 2.2 – 20 seconds	Current Rating	40 A
Actuator ColorBlackContact Features2.2 – 20 seconds	Interrupt Capacity	5000A @ 277VAC
Contact FeaturesTrip Time at 200%2.2 – 20 seconds	Body Features	
Trip Time at 200% 2.2 – 20 seconds	Actuator Color	Black
	Contact Features	
Mechanical Attachment	Trip Time at 200%	2.2 – 20 seconds
	Mechanical Attachment	

C For support call+1 800 522 6752

09/27/2023 10:41AM | Page 1

W92-X112-40

Circuit Breakers, Magnetic, Series Trip, Black, Operating Voltage 277 VAC, 40A Current Rating, 2 Pole, Potter & Brumfield W9



Product Height 63.5 mm[2.5 in] Identification Marking International I/O Stamped Marking Type International I/O Product Compliance Stamped Marking Type For compliance documentation, visit the product page on TE.com> Compliant with Exemptions EU RoHS Directive 2011/65/EU Compliant with Exemptions EU RoHS Directive 2000/53/EC Not Compliant China RoHS 2 Directive MIIT Order No 32, 2016 Restricted Materials Above Threshold EU REACH Regulation (EC) No. 1907/2006 Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Codmium oxide (7.95% in Component part) <i>Materials Submediate Compliance apprediate content and apprediate content </i>		
Product Height 63.5 mm[2.5 in] Identification Marking International I/O Stamped Marking Type International I/O Product Compliance Stamped Marking Type For compliance documentation, visit the product page on TE.com> Compliant with Exemptions EU RoHS Directive 2011/65/EU Compliant with Exemptions EU RoHS Directive 2000/53/EC Not Compliant China RoHS 2 Directive MIIT Order No 32, 2016 Restricted Materials Above Threshold EU REACH Regulation (EC) No. 1907/2006 Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Codmium oxide (7.95% in Component part) <i>Materials Submediate Compliance apprediate content and apprediate content </i>	Mounting Options	6-32 Mounting Threads
Identification Marking International I/O Stamped Marking Type International I/O Product Compliance Stamped Marking Type For compliance documentation, visit the product page on TE.com> Compliant with Exemptions EU RoHS Directive 2011/65/EU Compliant with Exemptions EU RoHS Directive 2000/53/EC Not Compliant China RoHS 2 Directive MIIT Order No 32, 2016 Restricted Materials Above Threshold EU REACH Regulation (EC) No. 1907/2006 Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) SVHC> Threshold: Cadmium oxide (75% in Component part) Ardo Sete Uage Stamment: Due provent proteints entry of the proteint out of depose of the strict of by to coarde of by to coarde of the strict of by	Dimensions	
Stamped Marking Type International I/O Product Compliance Stamped Marking Type For compliance documentation, visit the product page on TE.com> Compliant with Exemptions EU RoHS Directive 2011/65/EU Compliant with Exemptions EU ROHS Directive 2000/53/EC Not Compliant China RoHS 2 Directive MIIT Order No 32, 2016 Restricted Materials Above Threshold EU REACH Regulation (EC) No. 1907/2006 Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Cadmium oxide (7.95% in Component part) Antel Safe Liss Stellang Stemense: USAND	Product Height	63.5 mm[2.5 in]
Product Compliance For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU Compliant with Exemptions EU ELV Directive 2000/53/EC Not Compliant China RoHS 2 Directive MIIT Order No 32, 2016 Restricted Materials Above Threshold EU REACH Regulation (EC) No. 1907/2006 Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Cadmium oxide (7.95% in Component part) Aride Side Usage Statements: Usage Statements	Identification Marking	
EU ROHS Directive 2011/65/EU Compliant with Exemptions EU ELV Directive 2000/53/EC Not Compliant China RoHS 2 Directive MIIT Order No 32, 2016 Restricted Materials Above Threshold EU REACH Regulation (EC) No. 1907/2006 Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Cadmium oxide (7.95% in Component part) Use personal protective equipment as required. Do not est, drik or smoke when using this protect mergelation equipment as required by following all and the personal protective equipment as required. Do not est, drik or smoke when using this protect mergelation equipment as required. Do not est, drik or smoke when using this protect mergelation equipment as required. Do not est, drik or smoke when using this protect mergelation equipment as required. Do not est, drik or smoke when using this protect mergelation equipment as required. Do not est, drik or smoke when using this protect mergelation equipment as required. Do not est, drik or smoke when using this protect mergelation equipment as required. Do not est, drik or smoke when using this protect mergelation equipment as required. Do not est, drik or smoke when using this protect mergelation equipment as required. Do not est, drik or smoke when using this protect mergelation equipment as required. Do not est, drik or smoke when using this protect mergelation equipment as required. Do not est, drik or smoke when using this protect mergelation equipment as required. Do not est, drik or smoke when using this protect mergelation equipment as required. Do not est, drik or smoke when using this protect mergelation equipment as required. Do not est, drik or smoke when using this protect mergelation equipment as required. Do not est, drik or smoke when using this protect mergelation equipment as required. Do not est, drik or smoke when using this protect mergelation equipment as required. Do not est, drik or smoke when using this protect mergelation equipment as required. Do not est, drik or smoke when	Stamped Marking Type	International I/O
EU RoHS Directive 2011/65/EUCompliant with ExemptionsEU ELV Directive 2000/53/ECNot CompliantChina RoHS 2 Directive MIIT Order No 32, 2016Restricted Materials Above ThresholdEU REACH Regulation (EC) No. 1907/2006Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Cadmium oxide (7.95% in Component part) Ariels Sie Usege Stements: Use personal protective equipment as required. Do not eat, drink or senoke when ung this product. Resch & possible and dispose of the article by following all article streshold: Log Stements:	Product Compliance For compliance documentation, visit the product page on TE.com>	
EU ELV Directive 2000/53/ECNot CompliantChina RoHS 2 Directive MIIT Order No 32, 2016Restricted Materials Above ThresholdEU REACH Regulation (EC) No. 1907/2006Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Cadmium oxide (7.95% in Component part) Attice Safe Usage Statements. Use personal protective equipment as required. Do not est, drink or smoke when alsing this product. Recycle if possible and dispose of the article by following all algebra end dispose of the art		
China RoHS 2 Directive MIIT Order No 32, 2016 Restricted Materials Above Threshold EU REACH Regulation (EC) No. 1907/2006 Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: SVHC > Threshold: Cadmium oxide (7.95% in Component part) Article Safe Usage Statements: Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.	EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU REACH Regulation (EC) No. 1907/2006 Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) Corrent ECHA Candidate List: JUNE 2022 (224) SVHC > Threshold: Cadmium oxide (7.95% in Component part) Article Safe Usage Statements: Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.	EU ELV Directive 2000/53/EC	Not Compliant
(235) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Cadmium oxide (7.95% in Component part) Article Safe Usage Statements: Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.	China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.	EU REACH Regulation (EC) No. 1907/2006	(235) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Cadmium oxide (7.95% in Component part)
	Halagan Contant	Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Recycle if possible and dispose of the article by following all

Not Low Halogen - contains Br or Cl > 900

ppm.

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

W92-X112-40

Circuit Breakers, Magnetic, Series Trip, Black, Operating Voltage 277 VAC, 40A Current Rating, 2 Pole, Potter & Brumfield W9





Also in the Series | Potter & Brumfield W9



Customers Also Bought



TE Part #177909-1	TE Part #0120930001	TE Part #204505-1	TE Part #641775-1
POWER DBL LOCK CAP HSG P/M 6P	TMS-SCE-1K-3/8-2.0-9	AMPLIMITE,ASY,PLUG,STD,90,3	04P UMNL STR/REL & INSRT NATL
Ars Mark			
TE Part #640271-3	TE Part #1393255-8	TE Part #YDTS26W19-11SAC001	TE Part #6162-213-1677
RING 22-18 AWG TPST	W93-X112-30=M6/M7/M9/W6/W7	PLUG ASSY	CONT SOC ASSY



W92-X112-40

Circuit Breakers, Magnetic, Series Trip, Black, Operating Voltage 277 VAC, 40A Current Rating, 2 Pole, Potter & Brumfield W9



Documents

CAD Files 3D PDF

3D

Customer View Model

ENG_CVM_CVM_7-1393254-9_E.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_7-1393254-9_E.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_7-1393254-9_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages W6/W9 Magnetic Hydraulic Circuit Breaker

English

Agency Approvals UL

English