3100-20U18999CL ! PENDING OBSOLESCENCE

Products Unlimited | Products Unlimited 3100 TE Internal #: 7-1611004-4 TE Internal Description: 3100-20U18999CL=40A 2P 208/240 DP Contactors, 2 Pole View on TE.com >



Relays, Contactors & Switches > Contactors > Definite Purpose Contactors > DP Contactors, 2 Pole



Pole Configuration: 2

Definite Purpose Contactor Coil Voltage Rating: 208 – 240 VAC

Definite Purpose Contactor Contact Current Rating: 40 A

Definite Purpose Contactor Mounting Type: Panel

Definite Purpose Contactor Contact Arrangement: 2 Form X, DPST-NO-DM

All DP Contactors, 2 Pole (0)

Features

Product Type Features

Molded	No
Product Category	Electromechanical Relays
Product Type	Contactor
Arc Cover	With
Product Classification	Relays - Contactors
Model	96
Contactor Type	Definite Purpose
Terminal Configuration	Box Lug, Quick Connect
Electrical Characteristics	
Actuating System	AC
Coil Voltage (Max)	240 VAC
Definite Purpose Contactor Coil Voltage Rating	208 – 240 VAC
Definite Purpose Contactor Coil Resistance	1000 Ω
Definite Purpose Contactor Contact Switching Voltage (Max)	600 VAC
Contact Features	
Contact Base Material	Silver Cadmium Oxide
Pole Configuration	2

C For support call+1 800 522 6752

3100-20U18999CL

3100-20U18999CL=40A 2P 208/240



Definite Purpose Contactor Contact Current Rating	40 A
Definite Purpose Contactor Contact Arrangement	2 Form X, DPST-NO-DM
Termination Features	
Coil Termination	Quick Connect
Mechanical Attachment	
Mounting Plate	With
Definite Purpose Contactor Mounting Type	Panel
Dimensions	
Wire Size	2.08 – 21.2 mm ²
Industry Standards	
UL Flammability Rating	UL 94V-0
Agency Approval	CSA Certified, UL Recognized
Packaging Features	
Packaging Method	Loose Piece
Other	
Torque	40 in-Ibs

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Cadmium oxide (12.06% in Component Part) Strie Safe Usage Statements:
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability
Product Compliance Disclaimer	

3100-20U18999CL=40A 2P 208/240



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 175022-1 250 PL EX REC. 18-14AWG PTBR

Also in the Series | Products Unlimited 3100




Customers Also Bought



3100-20U18999CL=40A 2P 208/240







Documents

CAD Files

Customer View Model

ENG_CVM_CVM_7-1611004-4_D.3d_igs.zip

English

Customer View Model ENG_CVM_CVM_7-1611004-4_D.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_7-1611004-4_D.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Model 96 - 3100 Definite Purpose Contactor 1- or 2-pole, 20-40 FLA AC Coil

English