# 3100-30T10999CJ PENDING OBSOLESCENCE

### Products Unlimited | Products Unlimited 3100

TE Internal #: 7-1672115-9

TE Internal Description: 3100-30T10999CJ=40A CONTACTOR

AC Coil DP Contactors, 3 Pole, 20-40 FLA

View on TE.com >



Relays, Contactors & Switches > Contactors > Definite Purpose Contactors > AC Coil DP Contactors, 3 Pole, 20-40 FLA



Pole Configuration: 3

Definite Purpose Contactor Coil Voltage Rating: 120 VAC Definite Purpose Contactor Contact Current Rating: 40 A

Definite Purpose Contactor Mounting Type: Panel

Definite Purpose Contactor Contact Arrangement: 3 Form X, 3PST-NO-DM

All AC Coil DP Contactors, 3 Pole, 20-40 FLA (0)

### **Features**

### **Product Type Features**

Molded	10
Product Category Ele	Electromechanical Relays
Product Type Co	Contactor
Arc Cover W	Vith
Product Classification Re	delays - Contactors
Model 98	8
Contactor Type De	Definite Purpose
Terminal Configuration Bo	Box Lug, Quick Connect

# **Configuration Features**

Auxiliary Switch Contact Arrangement	Without	
Flectrical Characteristics		

#### Electrical Characteristics

Actuating System	AC
Coil Voltage (Max)	120 VAC
Definite Purpose Contactor Coil Voltage Rating	120 VAC
Definite Purpose Contactor Coil Resistance	180 Ω
Definite Purpose Contactor Contact Switching Voltage (Max)	600 VAC

#### **Contact Features**



Contact Base Material	Silver Cadmium Oxide
Pole Configuration	3
Definite Purpose Contactor Contact Current Rating	40 A
Definite Purpose Contactor Contact Arrangement	3 Form X, 3PST-NO-DM
Termination Features	
Coil Termination	6-32 Screw, Quick Connect
Mechanical Attachment	
Mounting Plate	With
Definite Purpose Contactor Mounting Type	Panel
Discoursians	
Dimensions	
Wire Size	2.08 – 21.2 mm <sup>2</sup>
	2.08 – 21.2 mm²
Wire Size	2.08 – 21.2 mm <sup>2</sup> UL 94V-0
Wire Size  Industry Standards	
Wire Size  Industry Standards  UL Flammability Rating	UL 94V-0
Wire Size  Industry Standards  UL Flammability Rating  Agency Approval	UL 94V-0
Wire Size  Industry Standards  UL Flammability Rating  Agency Approval  Packaging Features	UL 94V-0 CSA Certified, UL Recognized

# **Product Compliance**

Torque

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235)  Candidate List Declared Against: JUNE 2022 (224)  SVHC > Threshold:  Cadmium oxide (12.06% in Component Part)  Article Safe Usage Statements:  Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability

40 in-lbs



#### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts





# Also in the Series | Products Unlimited 3100



# Customers Also Bought















TE Part #8433-0200000100
PRESSURE CAL UNIT, DIF 5D

### **Documents**

#### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_7-1672115-9\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_7-1672115-9\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_7-1672115-9\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Datasheets & Catalog Pages

Model 98 - 3100 Definite Purpose Contactor 3-pole, 20-40 FLA AC Coil

English