# ROX9J56K V ACTIVE

#### Neohm | Neohm ROX

TE Internal #: 7-2176416-4 56K Ω, Metal Oxide Film, General Purpose Resistor, 5 %, 54 x 8.5 mm, 2 Termination, Box, 9 W, ±350 ppm/°C, Tinned Copper Leads Termination, Neohm ROX

#### View on TE.com >

#### Passive Components > Resistors > Through-Hole Resistors



Resistor Type: General Purpose Resistor

Passive Component Dimensions: 54 x 8.5 mm

Number of Terminations: 2

Packaging Method: Box

Passive Component Tolerance: 5%

# Features



### Product Type Features

Product Type	Fixed Resistor
Resistor Type	General Purpose Resistor
Element Type	Metal Oxide Film
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Voltage Rating	750 V
Passive Component Tolerance	5 %
Resistance Class	$1k\Omega - 1M\Omega$
Resistance Value	56ΚΩ
Power Rating	9 W
Body Features	
Passive Component Lead Type	Axial-Leaded

#### ROX9J56K

56K Ω, Metal Oxide Film, General Purpose Resistor, 5 %, 54 x 8.5 mm, 2 Termination, Box, 9 W, ±350 ppm/°C, Tinned Copper Leads Termination, Neohm ROX



#### **Termination Features**

Number of Terminations	2
Passive Component Termination Material Type	Tinned Copper Leads
Dimensions	
Passive Component Dimensions	54 x 8.5 mm
Usage Conditions	
Operating Temperature Range	-55 – 155 °C
Temperature Coefficient	±350 ppm/°C
Packaging Features	
Packaging Method	Box
Product Compliance	

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023

(235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Halogen Content

Wave solder capable to 265°C

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**

**&** For support call+1 800 522 6752

### ROX9J56K


56K Ω, Metal Oxide Film, General Purpose Resistor, 5 %, 54 x 8.5 mm, 2 Termination, Box, 9 W, ±350 ppm/°C, Tinned Copper Leads Termination, Neohm ROX








# Also in the Series | Neohm ROX



Through-Hole Resistors(798)

# Customers Also Bought



#### ROX9J56K

56K Ω, Metal Oxide Film, General Purpose Resistor, 5 %, 54 x 8.5 mm, 2 Termination, Box, 9 W, ±350 ppm/°C, Tinned Copper Leads Termination, Neohm ROX





TE Part #CONSMA002-SMD-G-T SMA Jack 50 Ohm PCB Surface Mount

# Documents

# Product Drawings 9W STD M/OX 5% 56K

English

#### **CAD** Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_7-2176416-4\_BA.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_7-2176416-4\_BA.3d\_igs.zip

English

Customer View Model

### ENG\_CVM\_CVM\_7-2176416-4\_BA.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages

Flame Proof Power Metal Oxide Film Resistors - Type ROX Series - Tyco Electronics Passives

English