
725996-2 - ACTIVE

### FASTON | FASTON 110

TE Internal #: 725996-2 PCB Terminals, Tab, Mating Tab Width .11 in [2.79 mm], PCB Hole Diameter 1.3 mm [.051 in], Through Hole - Solder, Tin Plating, Brass, Box, FASTON 110

#### View on TE.com >

Terminals & Splices > PCB Terminals



PCB Terminal Type: Tab

PCB Thickness (Recommended): 1.57 – 2.36 mm [.062 – .093 in ]

Mating Tab Width: 2.79 mm [.11 in ]

Mating Tab Thickness: .51 mm [.02 in ]

PCB Hole Diameter: 1.3 mm [.051 in ]

# Features

E TE

### **Contact Features**

PCB Terminal Type	Tab
Mating Tab Width	2.79 mm[.11 in]
Mating Tab Thickness	.51 mm[.02 in]
Terminal Plating Material	Tin
Contact Underplating Material	Brass
Terminal Size	2.8
Terminal Orientation	Right Angle
Termination Features	
Termination Method to Printed Circuit Board	Through Hole - Solder
Product Terminates To	Printed Circuit Board
Mechanical Attachment	
Wire Insulation Support	With
Dimensions	
Extension Below Board	3 mm[.118 in]

**C** For support call+1 800 522 6752

# 725996-2

PCB Terminals, Tab, Mating Tab Width .11 in [2.79 mm], PCB Hole Diameter 1.3 mm [. 051 in], Through Hole - Solder, Tin Plating, Brass, Box, FASTON 110



Terminal Material Thickness	.51 mm[.02 in]
PCB Thickness (Recommended)	1.57 – 2.36 mm[.062 – .093 in]
PCB Hole Diameter	1.3 mm[.051 in]
Profile Height from PCB	5 mm[.199 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-40 - 105 °C[-40 - 221 °F]
Packaging Features	
Packaging Quantity	10000
Packaging Method	Box
<b>Product Compliance</b> For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235)

(235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Wave solder capable to 265°C

Halogen Content

Solder Process Capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


# **Compatible Parts**

**L** For support call+1 800 522 6752


### 725996-2

PCB Terminals, Tab, Mating Tab Width .11 in [2.79 mm], PCB Hole Diameter 1.3 mm [. 051 in], Through Hole - Solder, Tin Plating, Brass, Box, FASTON 110





# Also in the Series | FASTON 110




# Customers Also Bought



### 725996-2

PCB Terminals, Tab, Mating Tab Width .11 in [2.79 mm], PCB Hole Diameter 1.3 mm [. 051 in], Through Hole - Solder, Tin Plating, Brass, Box, FASTON 110





# Documents

# Product Drawings 110 FASTON TAB TPBR

English

#### **CAD** Files

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_725996-2\_B.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_725996-2\_B.3d\_igs.zip

English

Customer View Model

### ENG\_CVM\_CVM\_725996-2\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages FASTON PCB Tabs and Receptacles

English

PRINTED CIRCUIT BOARD TERMINALS AND DISCONNECTS

English