



SL-156

TE Internal #: 794115-3

Housing, Receptacle, Wire-to-Board, 3 Position, .156 in [3.96 mm]

Centerline, 1 Row, Natural, Mating Retention, Wire & Cable, Power & Signal, SL-156

[View on TE.com >](#)

Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings > Receptacle Housing: Wire-to-Board, with Mating Alignment, SL156



Connector Product Type: **Housing**

Connector & Housing Type: **Receptacle**

Connector System: **Wire-to-Board**

Number of Positions: **3**

Centerline (Pitch): **3.96 mm [.156 in]**

[All Receptacle Housing: Wire-to-Board, with Mating Alignment, SL156 \(107\)](#)

Features

Product Type Features

Connector Product Type	Housing
Connector & Housing Type	Receptacle
Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	3
Number of Rows	1

Body Features

Primary Product Color	Natural
-----------------------	---------

Mechanical Attachment

--	--



Mating Retention Type	Locking Ramp
Mating Retention	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Centerline (Pitch)	3.96 mm[.156 in]
--------------------	------------------

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-103156-WBHSM
Receptacle Housing: Wire-to-Board, with Mating Alignment, SL156

TE Part # 643071-3
03P MTA156 FD-THRU COVER

TE Part # 640551-3
03P MTA156 COVER

TE Part # 643067-3
03P MTA156 MOLDED COVER

TE Part # 640643-3
03P MTA156 COVER F/T

Also in the Series | SL-156

Insertion & Extraction Tools(1)

PCB Connector Keying(2)

PCB Latches, Locks & Retainers(1)

Rectangular Connector Housings(11)

Rectangular Connector Keying Plugs(1)

Wire-to-Board Connector Assemblies & Housings(140)

Wire-to-Board Connector Contacts(23)

Customers Also Bought


TE Part #T4131012051-000
M12,REAR MOUNT,FEMALE,A,5P, SOLDER WIRE

TE Part #3-640252-1
Wire-to-Board Connector Contacts: socket, wire size 30-16 AWG, SL 156

TE Part #1971795-1
NEW GI CONN2.5 REC. CONTACT


TE Part #1-1123722-2
3.96 EP PLUG HSG 2P(NATURAL)





TE Part #2-521144-2

ULTRA-FAST 250 ASY TAB 22-18 TPBR



TE Part #2-520102-2

ULTRA-FAST 250 ASSEMBLY TAB 22-18 AWG BR



TE Part #2217000-2

MODEL G II CE TERMINATOR, W /CQM



TE Part #2325349-2

Power Versa-Lock REAR SEAL, 1X2, LargeID

TE Part #1424649-1

BLADE,STRIP,INNER

Documents

Product Drawings

03P SL156 HSG W/LCK RAMP NATL #2 BLK

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_794115-3_D_c-794115-3-d.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_794115-3_D_c-794115-3-d.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_794115-3_D_c-794115-3-d.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

Product Environmental Compliance

TE Material Declaration

English

Agency Approvals

UL Report

794115-3

Housing, Receptacle, Wire-to-Board, 3 Position, .156 in [3.96 mm] Centerline, 1 Row, Natural, Mating Retention, Wire & Cable, Power & Signal, SL-156



English