

794785-1 ✓ ACTIVE

MATE-N-LOK | Universal MATE-N-LOK

TE Internal #: 794785-1

Interface Seal, Silicone Foam, Black, 4 Position, -55 – 105 °C [-67 – 221 °F] Operating Temperature, Universal MATE-N-LOK

[View on TE.com >](#)



Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Interface Seal**

Primary Product Material: **Silicone Foam**

Primary Product Color: **Black**

Operating Temperature (Max): **105 °C [221 °F]**

Number of Positions: **4**

Features

Product Type Features

Connector Seal & Plug Type	Interface Seal
----------------------------	----------------

Configuration Features

Number of Positions	4
---------------------	---

Body Features

Primary Product Material	Silicone Foam
--------------------------	---------------

Primary Product Color	Black
-----------------------	-------

Housing Features

Centerline (Pitch)	6.35 mm [.250 in]
--------------------	-------------------

Usage Conditions

Operating Temperature (Max)	105 °C [221 °F]
-----------------------------	-----------------

Operating Temperature Range	-55 – 105 °C [-67 – 221 °F]
-----------------------------	-----------------------------

Packaging Features

Packaging Quantity	1000
--------------------	------

Packaging Method	Reel
------------------	------

Product Compliance

For compliance documentation, visit the product page on [TE.com](https://www.te.com)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer











This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # 794271-1 03P UMNL INTERFACE SEAL</p>	 <p>TE Part # 794275-1 06P UMNL INTERFACE SEAL</p>	 <p>TE Part # 794994-1 09P UMNL BLACK INTERFACE SEAL</p>	 <p>TE Part # 794273-1 04P UMNL INTERFACE SEAL</p>
---	--	---	---



Also in the Series | Universal MATE-N-LOK



Customers Also Bought



TE Part #521368-2
ULTRA-POD 250 ASSY REC 22-18
AWG TPBR



TE Part #1971785-1
Receptacle Contact — POWER TRIPLE
LOCK



TE Part #1971786-1
Tab Contact — POWER TRIPLE LOCK



TE Part #1-1971775-3
POWER TRIPLE LOCK Plug, Standard
Temperature



TE Part #350699-1
UMNL SPLIT PIN PTPBR



TE Part #521633-2
ULTRA-POD 250 ASY REC 18-14 AWG
TPBR



TE Part #521284-1
ULTRA-POD 187 ASSY REC 20-16
AWG BR

Documents

Product Drawings

04P UMNL INTERFACE SEAL

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_794785-1_D_c-794785-1-d.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_794785-1_D_c-794785-1-d.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_794785-1_D_c-794785-1-d.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

Application Specification

English

MATE-N-LOK Sealed Universal Connectors

English