# SMF51M6JT - ACTIVE

CGS | CGS SM TE Internal #: 8-1879234-5 1.6M  $\Omega$ , Metal Film, Power Resistor, 5 %, 2 Termination, Taped & Reeled, 5 W, ±100 ppm/°C, Solder, 7.3 x 13.5 mm, CGS SM View on TE.com >



Passive Components > Resistors > Surface Mount Resistors > SMD Power Resistor: 7 Watt, 200-2M Ohm



Resistor Type: Power Resistor Number of Terminations: 2 Packaging Method: Taped & Reeled Passive Component Tolerance: 5% Element Type: Metal Film

All SMD Power Resistor: 7 Watt, 200-2M Ohm (316)

### Features

### **Product Type Features**

Product Type

Resistor Type

Fixed Resistor

Power Resistor

Element Type	Metal Film
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Voltage Rating	500 V
Passive Component Tolerance	5 %
Resistance Class	1MΩ – 1GΩ
Resistance Value	1.6M Ω
Power Rating	5 W
Termination Features	
Number of Terminations	2
Surface Mount Resistor Termination Type	Solder
Dimensions	
Passive Component Dimensions	7.3 x 13.5 mm
Usage Conditions	

**C** For support call+1 800 522 6752

### SMF51M6JT

1.6M Ω, Metal Film, Power Resistor, 5 %, 2 Termination, Taped & Reeled, 5 W, ±100 ppm/°C, Solder, 7.3 x 13.5 mm, CGS SM



Packaging Method Taped & Reeled Product Compliance			
Packaging MethodTaped & ReeledProduct Compliance For compliance documentation, visit the product page on TE.com>CompliantEU RoHS Directive 2011/65/EUCompliantEU RoHS Directive 2000/53/ECCompliantChina RoHS 2 Directive MIIT Order No 32, 2016No Restricted Materials Above ThresholdEU REACH Regulation (EC) No. 1907/2006Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHCHalogen ContentLow Halogen - Br, CJ, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	Temperature Coefficient	±100 ppm/°C	
Product Compliance For compliance documentation, visit the product page on TE.com>EU RoHS Directive 2011/65/EUCompliantEU ELV Directive 2000/53/ECCompliantChina RoHS 2 Directive MIIT Order No 32, 2016No Restricted Materials Above ThresholdEU REACH Regulation (EC) No. 1907/2006Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHCHalogen ContentLow Halogen - Br, CI, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	Packaging Features		
EV RoHS Directive 2011/65/EU       Compliant         EU ELV Directive 2000/53/EC       Compliant         China RoHS 2 Directive MIIT Order No 32, 2016       No Restricted Materials Above Threshold         EU REACH Regulation (EC) No. 1907/2006       Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Coes not contain REACH SVHC         Halogen Content       Low Halogen - Br, CI, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	Packaging Method	Taped & Reeled	
EU ELV Directive 2000/53/ECCompliantChina RoHS 2 Directive MIIT Order No 32, 2016No Restricted Materials Above ThresholdEU REACH Regulation (EC) No. 1907/2006Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHCHalogen ContentLow Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	Product Compliance For compliance documentation, visit the product page on TE.com>		
China RoHS 2 Directive MIIT Order No 32, 2016No Restricted Materials Above ThresholdEU REACH Regulation (EC) No. 1907/2006Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) 	EU RoHS Directive 2011/65/EU	Compliant	
EU REACH Regulation (EC) No. 1907/2006Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHCHalogen ContentLow Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	EU ELV Directive 2000/53/EC	Compliant	
(235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHCHalogen ContentLow Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
homogenous material. Also BFR/CFR/PVC Free	EU REACH Regulation (EC) No. 1907/2006	(235) Candidate List Declared Against: JUNE 2023 (235)	
Solder Process Capability Wave solder capable to 265°C	Halogen Content	homogenous material. Also BFR/CFR/PVC	
	Solder Process Capability	Wave solder capable to 265°C	

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

### **Compatible Parts**



#### SMF51M6JT

1.6M Ω, Metal Film, Power Resistor, 5 %, 2 Termination, Taped & Reeled, 5 W, ±100 ppm/°C, Solder, 7.3 x 13.5 mm, CGS SM



## Also in the Series | CGS SM

Battery Holders(1)	Expanded Beam Fiber Optics(9)	LC Connectors(2)	RJ14 Connectors(1)
RJ22 Connectors(1)	RJ25 Connectors(1)	RJ45 Connectors(3)	SC Connectors(2)





# Customers Also Bought



### Documents

Product Drawings SMF5 1M6 5%

English

### **CAD** Files

3D PDF

3D

### SMF51M6JT

1.6M Ω, Metal Film, Power Resistor, 5 %, 2 Termination, Taped & Reeled, 5 W, ±100 ppm/°C, Solder, 7.3 x 13.5 mm, CGS SM



Customer View Model

ENG\_CVM\_CVM\_8-1879234-5\_BA.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_8-1879234-5\_BA.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_8-1879234-5\_BA.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages 1309350\_PASSIVE\_COMPONENT

English

SMD Moulded Power Resistor - Type SM Series - Tyco Electronics Passives

English

8-1773459-4\_POWER\_FILTERING\_AND\_RESISTIVE\_SOLUTIONS\_FOR\_ELEVATORS\_AND\_ESCALATORS

English