# 8-1971794-1 ACTIVE

#### **GRACE INERTIA 2.5**


TE Internal #: 8-1971794-1

PCB Latches, Locks & Retainers, TPA (True Position Assurance), 8 Position, .098 in [2.5 mm] Centerline, 1 Row, GRACE INERTIA 2.5

View on TE.com >



Connectors > PCB Connectors > PCB Connector Accessories > PCB Connector Hardware > PCB Latches, Locks & Retainers



Connector & Contact Retention Accessory Type: TPA (True Position Assurance)

Number of Positions: 8

Centerline (Pitch): 2.5 mm [ .098 in ]

Number of Rows: 1

Operating Temperature Range: -30 - 105 °C [-22 - 221 °F]

#### **Features**

#### Product Type Features

Connector & Contact Retention Accessory Type	TPA (True Position Assurance)
Configuration Features	
Number of Positions	8
Number of Rows	1
Body Features	
Primary Product Material	PA 66 GF20
Primary Product Color	Black
Housing Features	
Centerline (Pitch)	2.5 mm[.098 in]
Usage Conditions	
Operating Temperature Range	-30 – 105 °C[-22 – 221 °F]
Industry Standards	
Glow Wire Rating	Glow Wire



Packaging Quantity	3600
Packaging Method	Bag

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts



Also in the Series | GRACE INERTIA 2.5





Connector Contacts(2)



PCB Headers & Receptacles(138)



PCB Latches, Locks & Retainers(5)



Rectangular Connector Housings(49)



Rectangular Connector Locking(2)



Rectangular Power Connectors(35)



Wire-to-Board Connector Assemblies & Housings(46)



Wire-to-Board Connector Contacts(4)

## Customers Also Bought



TE Part #206070-8

CABLE CLAMP KIT #17



TE Part #DT04-2P REC, 2P, GRY, N




TE Part #DT06-2S PLG, 2P, GRY, N









### **Documents**

**Product Drawings** 

**NEW GI CONN2.5 TPA 8P BLACK** 

English

**CAD Files** 

3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_8-1971794-1\_B.2d\_dxf.zip PCB Latches, Locks & Retainers, TPA (True Position Assurance), 8 Position, .098 in [2.5 mm] Centerline, 1 Row, GRACE INERTIA 2.5



English

**Customer View Model** 

ENG\_CVM\_CVM\_8-1971794-1\_B.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_8-1971794-1\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**Product Specifications** 

**Application Specification** 

English