RQ73C1E32K4BTD <- ACTIVE

Holsworthy | Holsworthy RQ73

TE Internal #: 8-2176364-2 32.4K Ω, Thin Film, Precision Resistor, .1 %, 2 Termination, 0402, Taped & Reeled, .0625 W, ±10 ppm/°C, Solder, 1 x .5 x .3 mm, Holsworthy RQ73

View on TE.com >

Passive Components > Resistors > Surface Mount Resistors



Resistor Type: Precision Resistor

Number of Terminations: 2

Package Size Code: 0402

Packaging Method: Taped & Reeled

Passive Component Tolerance: .1 %

Features

TE

Product Type Features

Product Type	Fixed Resistor
Resistor Type	Precision Resistor
Package Size Code	0402
Element Type	Thin Film
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Voltage Rating	50 V
Passive Component Tolerance	.1 %
Resistance Class	$1k\Omega - 1M\Omega$
Resistance Value	32.4Κ Ω
Power Rating	.0625 W
Termination Features	
Number of Terminations	2

C For support call+1 800 522 6752

RQ73C1E32K4BTD

32.4K Ω, Thin Film, Precision Resistor, .1 %, 2 Termination, 0402, Taped & Reeled, . 0625 W, ±10 ppm/°C, Solder, 1 x .5 x .3 mm, Holsworthy RQ73



Surface Mount Resistor Termination Type	Solder
Dimensions	
Passive Component Dimensions	1 x .5 x .3 mm
Usage Conditions	
Temperature Coefficient	±10 ppm/°C
Packaging Features	
Packaging Method	Taped & Reeled
Product Compliance	
For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
	Compliant

EU ELV Directive 2000/53/EC

China RoHS 2 Directive MIIT Order No 32, 2016

EU REACH Regulation (EC) No. 1907/2006

Compliant

No Restricted Materials Above Threshold

Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Reflow solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts

RQ73C1E32K4BTD

32.4K $\Omega,$ Thin Film, Precision Resistor, .1 %, 2 Termination, 0402, Taped & Reeled, . 0625 W, ±10 ppm/°C, Solder, 1 x .5 x .3 mm, Holsworthy RQ73







Also in the Series | Holsworthy RQ73



Surface Mount Resistors(3078)



Customers Also Bought



Documents

Product Drawings RQ 0402 32K4 0.1% 10PPM 5K RL

English

CAD Files

3D PDF

3D

RQ73C1E32K4BTD

32.4K $\Omega,$ Thin Film, Precision Resistor, .1 %, 2 Termination, 0402, Taped & Reeled, . 0625 W, ±10 ppm/°C, Solder, 1 x .5 x .3 mm, Holsworthy RQ73



Customer View Model

ENG_CVM_CVM_8-2176364-2_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_8-2176364-2_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_8-2176364-2_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages SMD Thin Film Precision Resistors - AEC-Q200 Compliant - Type RQ73 Series

English