# 

CGS | CGS 3503 TE Internal #: 8-2176526-5 383  $\Omega,$  Thin Film, Power Resistor, 1 %, 2 Termination, 1206, Taped & Reeled, 2 W, ±50 ppm/°C, Solder, 3.05 x 1.55 x .43 mm, CGS 3503 View on TE.com >

Passive Components > Resistors > Surface Mount Resistors



Resistor Type: Power Resistor

Number of Terminations: 2

Package Size Code: 1206

Packaging Method: Taped & Reeled

Passive Component Tolerance: 1%

### Features

Product Type Features



| Product Type                | Fixed Resistor |
|-----------------------------|----------------|
| Resistor Type               | Power Resistor |
| Package Size Code           | 1206           |
| Element Type                | Thin Film      |
| Configuration Features      |                |
| Number of Resistors         | 1              |
| Electrical Characteristics  |                |
| Voltage Rating              | 100 V          |
| Passive Component Tolerance | 1 %            |
| Resistance Class            | Up to 1kΩ      |
| Resistance Value            | 383 Ω          |
| Power Rating                | 2 W            |
| Termination Features        |                |
| Number of Terminations      | 2              |

#### 3503G2B383RFTD

383 Ω, Thin Film, Power Resistor, 1 %, 2 Termination, 1206, Taped & Reeled, 2 W, ±50 ppm/°C, Solder, 3.05 x 1.55 x .43 mm, CGS 3503



| Surface Mount Resistor Termination Type   | Solder                      |
|---|-----------------------------|
| Dimensions  |                             |
| Passive Component Dimensions  | 3.05 x 1.55 x .43 mm        |
| Usage Conditions  |                             |
| Operating Temperature Range   | -55 – 155 °C                |
| Temperature Coefficient   | ±50 ppm/°C                  |
| Packaging Features  |                             |
|   |                             |
| Packaging Method  | Taped & Reeled              |
| Product Compliance  | Taped & Reeled<br>Compliant |
| Product Compliance<br>For compliance documentation, visit the product page on TE.com>                                 |                             |
| Product Compliance<br>For compliance documentation, visit the product page on TE.com><br>EU RoHS Directive 2011/65/EU | Compliant                   |

#### Halogen Content

BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.

Solder Process Capability

Reflow solder capable to 260°C

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**


#### 3503G2B383RFTD

383  $\Omega$ , Thin Film, Power Resistor, 1 %, 2 Termination, 1206, Taped & Reeled, 2 W, ±50 ppm/°C, Solder, 3.05 x 1.55 x .43 mm, CGS 3503





# Also in the Series | CGS 3503



# Customers Also Bought



|                     |                  |                  | =TE                    |
|---------------------|------------------|------------------|------------------------|
| TE Part #206070-8   | TE Part #DT04-2P | TE Part #DT06-2S | TE Part #W2S           |
| CABLE CLAMP KIT #17 | REC, 2P, GRY, N  | PLG, 2P, GRY, N  | Wedgelocks: DEUTSCH DT |



## Documents

Product Drawings

3503G 2B 383R 1% 5K RL

English

#### **CAD** Files

Customer View Model

ENG\_CVM\_CVM\_8-2176526-5\_A.3d\_igs.zip

#### 3503G2B383RFTD

383  $\Omega$ , Thin Film, Power Resistor, 1 %, 2 Termination, 1206, Taped & Reeled, 2 W, ±50 ppm/°C, Solder, 3.05 x 1.55 x .43 mm, CGS 3503



English

Customer View Model ENG\_CVM\_CVM\_8-2176526-5\_A.3d\_stp.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_8-2176526-5\_A.2d\_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages Aluminium Nitride Thin Film Power Resistor - Type 3503 Series

English