


PIDG

TE Internal #: 8-32053-1

Spade Tongue Terminal, 22 AWG, M4 / #8 Stud Size, 4.34 mm [.171 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG

View on TE.com >

Terminals & Splices > Spade Terminals > PIDG Spade Tongue Terminals



Spade Terminal Type: Spade Tongue Terminal

Wire Size: 509 – 3260 CMA

Stud Size: #8, M4

All PIDG Spade Tongue Terminals (63)

Features

E T E Connectivity

Product Type Features

Stud Size	#8, M4	
Sealable	No	
Wire Insulation Support Retention Type	Non-Insulation Support	
Electrical Characteristics		
Voltage Rating	300 V	
Body Features		
Product Weight	.957 g	
Insulation Sleeve Color	Red	
Stripe Color	Red	
Contact Features		
Spade Terminal Type	Spade Tongue Terminal	
Barrel Type	Closed	
Terminal Orientation	Straight	
Terminal Plating Material	Tin	

Spade Tongue Terminal, 22 AWG, M4 / #8 Stud Size, 4.34 mm [.171 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG



Mechanical Attachment

Wire Insulation Support	With
Dimensions	
Wire Size	509 – 3260 CMA
Stud Diameter	4.34 mm[.171 in]
Tongue Thickness	.79 mm[.031 in]
Product Length	23.06 mm[.908 in]
Compatible Insulation Diameter (Max)	3.56 mm[.14 in]
Compatible Insulation Diameter Range	2.67 – 3.56 mm[.105 – .14 in]
Usage Conditions	
Insulation Option	Partially Insulated
Insulation Option Operating Temperature Range	Partially Insulated 105 °C[221 °F]
Operating Temperature Range	
Operating Temperature Range Operation/Application	105 °C[221 °F]
Operating Temperature Range Operation/Application Compatible With Wire Base Material	105 °C[221 °F] Copper

Packaging Features

Packaging Quantity	100	
Packaging Method	Loose Piece	
Product Compliance		
For compliance documentation, visit the product page on TE.com>		
EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per	

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Spade Tongue Terminal, 22 AWG, M4 / #8 Stud Size, 4.34 mm [.171 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG



Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts








Also in the Series **PIDG**



Spade Tongue Terminal, 22 AWG, M4 / #8 Stud Size, 4.34 mm [.171 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG





Customers Also Bought



TE Part #6609052-2 10VN1=F7416 S0	TE Part #1-1825910-8 FSM10JH=6MM TACT SWITCH, HIGH TEMP	TE Part #3-640427-4 04P MTA156 CONN ASSY 20AWG YEL	TE Part #3-640427-6 06P MTA156 CONN ASSY 20AWG YEL
TE Part #640388-6 06P MTA156 HDR ASSY RN STR F/L	TE Part #640388-3 03P MTA156 HDR ASSY RN STR F/L	TE Part #640551-3 03P MTA156 COVER	TE Part #1658623-8 34 NOVO MIL 30DP, LEAD FREE



Documents

Spade Tongue Terminal, 22 AWG, M4 / #8 Stud Size, 4.34 mm [.171 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG



Product Drawings PIDG SPD 22-16 COMM 22-18MIL 8

English

CAD Files

Customer View Model ENG_CVM_CVM_8-32053-1_J.2d_dxf.zip

English

3D PDF

3D

Customer View Model ENG_CVM_CVM_8-32053-1_J.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_8-32053-1_J.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English