# 8-32056-1 O NOT USE FOR NEW DESIGN


#### PIDG

TE Internal #: 8-32056-1

Spade Tongue Terminal, 16 AWG, M4 / #8 Stud Size, 4.17 mm [.164 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG

#### View on TE.com >

Terminals & Splices > Spade Terminals > PIDG Spade Tongue Terminals



Spade Terminal Type: Spade Tongue Terminal

Wire Size: 2050 – 5180 CMA

Stud Size: #8, M4

All PIDG Spade Tongue Terminals (63)

#### Features

ennectivity

### Product Type Features

Stud Size	#8, M4				
Sealable	No				
Wire Insulation Support Retention Type	Non-Insulation Support				
Electrical Characteristics					
Voltage Rating	300 V				
Body Features					
Product Weight	1.105 g				
Insulation Sleeve Color	Blue				
Stripe Color	Blue				
Contact Features					
Spade Terminal Type	Spade Tongue Terminal				
Barrel Type	Closed				
Terminal Orientation	Straight				
Terminal Plating Material	Tin				

Spade Tongue Terminal, 16 AWG, M4 / #8 Stud Size, 4.17 mm [.164 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG



#### **Mechanical Attachment**

Wire Insulation Support	With					
Dimensions						
Wire Size	2050 – 5180 CMA					
Stud Diameter	4.17 mm[.164 in]					
Tongue Thickness	.84 mm[.033 in]					
Product Length	23.06 mm[.908 in]					
Compatible Insulation Diameter (Max)	3.81 mm[.15 in]					
Compatible Insulation Diameter Range	2.67 – 3.81 mm[.105 – .15 in]					
Usage Conditions						
Insulation Option	Partially Insulated					
Operating Temperature Range	105 °C[221 °F]					
Operation/Application						
Compatible With Wire Base Material	Copper					
Compatible With Wire Plating Material	Tin					
Industry Standards						
Government Qualified Terminal	No					

## Packaging Features

Packaging Quantity	100				
Packaging Method	Loose Piece				
Product Compliance For compliance documentation, visit the product page on TE.com>					
EU RoHS Directive 2011/65/EU	Compliant				
EU ELV Directive 2000/53/EC	Compliant				
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold				
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC				
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per				

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Spade Tongue Terminal, 16 AWG, M4 / #8 Stud Size, 4.17 mm [.164 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG




Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

# **Compatible Parts**











## Also in the Series **PIDG**



Spade Tongue Terminal, 16 AWG, M4 / #8 Stud Size, 4.17 mm [.164 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG





# Customers Also Bought



PIDG SPD 22-16 COMM 22-18MIL 6	TE Part #2-520084-2 ULTRAFAST 110 ASSY REC 22-18 TPBR LP	ULTRAFAST 250 ASSY FLAG 22-18 TPBR LP	SPLICE,PG BUTT 16-14,STRAIGHT
YAN YAN YAN YAN YAN			
TE Part #66098-7 III+ PIN,18-16,TIN-LEAD,STRIP	TE Part #HDP26-24-31ST-L015 PLG, 31P, BLK, T, THD, 16, S	TE Part #278414-000 RT-3-NO.2-0-COIL	TE Part #2-34167-1 TERMINAL,PG SPD 16-14 10



### Documents

Spade Tongue Terminal, 16 AWG, M4 / #8 Stud Size, 4.17 mm [.164 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG



### Product Drawings TERMINAL,PIDG SPD 16-14 8

English

CAD Files

**Customer View Model** 

ENG\_CVM\_8-32056-1\_C.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_8-32056-1\_C.3d\_stp.zip

English

**Customer View Model** 

ENG\_CVM\_8-32056-1\_C.2d\_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English