


### PIDG

TE Internal #: 8-32588-2 Spade Tongue Terminal, 12 – 10 AWG, M4 / #8 Stud Size, 4.34 mm [.171 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG

#### View on TE.com >

Terminals & Splices > Spade Terminals > PIDG Spade Tongue Terminals



Spade Terminal Type: Spade Tongue Terminal

Wire Size: 5180 – 13100 CMA

Stud Size: #8, M4

All PIDG Spade Tongue Terminals (63)

### Features

connectivity

### Product Type Features

Stud Size	#8, M4
Sealable	No
Wire Insulation Support Retention Type	Non-Insulation Support
Electrical Characteristics	
Voltage Rating	300 V
Body Features	
Product Weight	2.353 g
Insulation Sleeve Color	Yellow
Stripe Color	Yellow
Contact Features	
Spade Terminal Type	Spade Tongue Terminal
Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin

Spade Tongue Terminal, 12 – 10 AWG, M4 / #8 Stud Size, 4.34 mm [.171 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG



### **Mechanical Attachment**

Wire Insulation Support	With
Dimensions	
Wire Size	5180 – 13100 CMA
Stud Diameter	4.34 mm[.171 in]
Tongue Thickness	1.02 mm[.04 in]
Product Length	18.71 mm[1.095 in]
Compatible Insulation Diameter (Max)	5.84 mm[.23 in]
Compatible Insulation Diameter Range	3.81 – 5.84 mm[.15 – .23 in]
Usage Conditions	
Insulation Option	Partially Insulated
	Partially Insulated 105 °C[221 °F]
Insulation Option	
Insulation Option Operating Temperature Range	
Insulation Option Operating Temperature Range Operation/Application	105 °C[221 °F]
Insulation Option Operating Temperature Range Operation/Application Compatible With Wire Base Material	105 °C[221 °F] Copper

## Packaging Features

Packaging Quantity	50
Packaging Method	Loose Piece
Product Compliance	
For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Spade Tongue Terminal, 12 – 10 AWG, M4 / #8 Stud Size, 4.34 mm [.171 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG



Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**






## Also in the Series **PIDG**



Spade Tongue Terminal, 12 – 10 AWG, M4 / #8 Stud Size, 4.34 mm [.171 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG





# Customers Also Bought



TERMINAL, PIDG SPD 16-14 6

FFC Receptacle Housing: 1.27mm

V23079D2001B301

### Documents

Product Drawings TERMINAL,PIDG SPD 12-10 8

English

### **CAD** Files

Customer View Model

ENG\_CVM\_CVM\_8-32588-2\_J.2d\_dxf.zip

English

#### 3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_8-32588-2\_J.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_8-32588-2\_J.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**C** For support call+1 800 522 6752

Spade Tongue Terminal, 12 – 10 AWG, M4 / #8 Stud Size, 4.34 mm [.171 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG



Product Specifications Application Specification

English