

PIDG

TE Internal #: 8-35345-2

Closed Ring Tongue Terminal, 12 – 10 AWG, M6 Stud Size, 6.73 mm [.265 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially

Insulated, PIDG

View on TE.com >



Terminals & Splices > Ring Terminals > PIDG Ring Tongue Terminals











Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 5180 – 13100 CMA

Stud Size: M6

All PIDG Ring Tongue Terminals (418)

Features

Product Type Features		
Ring Terminal Product Type	Closed Ring Tongue Terminal	
Stud Size	M6	
Sealable	No	
Wire Insulation Support Retention Type	Insulation Support	
Configuration Features		
Number of Holes	1	
Electrical Characteristics		
Voltage Rating	300 V	
Body Features		
Product Weight	3.15 g	
Contact Features		
Barrel Type	Closed	
Terminal Orientation	Straight	



Terminal Plating Material	Tin			
Mechanical Attachment				
Wire Insulation Support	With			
Dimensions				
Wire Size	5180 – 13100 CMA			
Stud Diameter	6.73 mm[.265 in]			
Tongue Thickness	1.07 mm[.042 in]			
Product Length	36 mm[1.42 in]			
Compatible Insulation Diameter (Max)	7.62 mm[.3 in]			
Compatible Insulation Diameter Range	4.32 – 7.62 mm[.17 – .3 in]			
Usage Conditions				
Insulation Option	Partially Insulated			
Operating Temperature Range	105 °C[221 °F]			
Operation/Application				
Compatible With Wire Base Material	Copper			
Compatible With Wire Plating Material	Tin			
Industry Standards				
Government Qualified Terminal	No			
Packaging Features				
Packaging Quantity	50			
Packaging Method	Loose Piece			
Other				
Terminals & Splices Comment	Oversize expansions provided in insulation only.			

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235)



Candidate List Declared Against: JUNE
2023 (235)

Does not contain REACH SVHC

Halogen Content	Not Low Halogen - contains Br or Cl > 900
	ppm.

Solder Process Capability

Not applicable for solder process capability


Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | PIDG









Crimp Wire Pins, Tabs & Ferrules(41)



Hand Crimping Tools(2)





Knife Disconnects(11)




PCB Terminals(7)



Quick Disconnects(49)



Ring Terminals(611)



Spade Terminals(233)



Special Purpose Terminals(1)



Splices(46)

Customers Also Bought



TE Part #206070-8

CABLE CLAMP KIT #17



TE Part #DT04-2P REC, 2P, GRY, N



TE Part #DT06-2S PLG, 2P, GRY, N









Documents

Product Drawings
TERMINAL, PIDG R 12-10 1/4

English

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_8-35345-2_J.2d_dxf.zip



English

Customer View Model

ENG_CVM_CVM_8-35345-2_J.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_8-35345-2_J.3d_stp.zip

English

3D PDF

English

Customer View Model

ENG_CVM_8-35345-2_E.3d_igs.zip

English

Customer View Model

ENG_CVM_8-35345-2_E.3d_stp.zip

English

Customer View Model

ENG_CVM_8-35345-2_E.2d_dxf.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English