8-55862-5 OD NOT USE FOR NEW DESIGN

TE Internal #: 8-55862-5 Closed Ring Tongue Terminal, 8 AWG, #10 Stud Size, 4.82 mm [.19 in / .189 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated

View on TE.com >



Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal Wire Size: 13100 – 20800 CMA Stud Size: #10

Features

Product Type Features

Terminal Features	Heavy Duty
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#10
Sealable	Yes
Wire Insulation Support Retention Type	Insulation Support



Configuration Features	
Number of Holes	1
Electrical Characteristics	
Voltage Rating	1000 V, 600 V
Contact Features	
Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin
Mechanical Attachment	
Wire Insulation Support	With
Dimensions	
Wire Size	13100 – 20800 CMA
Stud Diameter	4.82 mm[.189 in][.19 in]
Tongue Thickness	1.19 mm[.047 in]
Product Length	44.2 mm[1.737 in]

C For support call+1 800 522 6752

8-55862-5

Closed Ring Tongue Terminal, 8 AWG, #10 Stud Size, 4.82 mm [.19 in / .189 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated



Compatible Insulation Diameter (Max)	7.87 mm[.31 in]
Compatible Insulation Diameter Range	7.87 mm[.31 in]
Jsage Conditions	
Insulation Option	Partially Insulated
Operating Temperature Range	125 °C[257 °F]
Operation/Application	
Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin
ndustry Standards	
Government Qualified Terminal	No
Packaging Features	
Packaging Quantity	10
	Loose Piece

EU RoHS Directive 2011/65/EU

Compliant

EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUL 2021 (219) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on

8-55862-5

Closed Ring Tongue Terminal, 8 AWG, #10 Stud Size, 4.82 mm [.19 in / .189 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated




requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts

TE Part # 55894-1 CRIMP.TOOL 16-8 (SEALED PROD.)

Customers Also Bought





Documents

Product Drawings #8 PRE-INSUL SEALED TERM R

English

Instruction Sheets Instruction Sheet (U.S.)

English