

8-640929-1 ✓ ACTIVE

FASTON | FASTON 110

TE Internal #: 8-640929-1


Quick Disconnects, Receptacle, 16 – 14 AWG Wire Size, 1.04 – 2.62

mm² Wire Size, 2050 – 5180 CMA Wire Size, FASTON 110

[View on TE.com >](#)



Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Receptacle**

Wire Size: **2050 – 5180 CMA**

Mating Tab Width: **2.79 mm [.11 in]**

Features

Product Type Features

Terminal Features

Wire Stop

Insertion Force

Low

Electrical Characteristics

Voltage Rating

300 V

Body Features

Insulation Material

Nylon

Contact Features

Quick Disconnect Terminal Type

Receptacle

Mating Tab Width

2.79 mm [.11 in]

Mating Tab Thickness

.51 mm [.02 in]

Terminal Orientation

Straight

Contact Base Material

Brass

Terminal Plating Material

Pre-Tin

Crimp Type

Compression

Barrel Type

Closed

Termination Features



Product Terminates To	Wire & Cable
-----------------------	--------------

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

Terminal Material Thickness	.41 mm[.016 in]
-----------------------------	-----------------

Product Length	20.36 mm[.8 in]
----------------	-----------------

Compatible Insulation Diameter Range	4.32 mm[.17 in]
--------------------------------------	-----------------

Wire Size	2050 – 5180 CMA
-----------	-----------------

Usage Conditions

Insulation Option	Partially Insulated
-------------------	---------------------

Operating Temperature Range	105 °C[221 °F]
-----------------------------	----------------

Industry Standards

Agency/Standard	CSA, RU (UL Component Program)
-----------------	--------------------------------

Packaging Features

Packaging Quantity	100
--------------------	-----

Packaging Method	Loose Piece
------------------	-------------

Other

Barrel Color	Blue
--------------	------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
--	---

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---

Solder Process Capability	Not applicable for solder process capability
---------------------------	--

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 640929-1
RECEPT,PIDG FASTON 16-14 110




TE Part # 640929-2
RECEPT,PIDG FASTON 16-14 110




TE Part # 1SET162030R0000
FO025-280-N-R2


Also in the Series | FASTON 110




Crimp Terminal Housings(13)



Insertion & Extraction Tools(1)



PCB Terminals(21)




Quick Disconnects(171)

Customers Also Bought



TE Part #DT06-12SD
PLG, 12P, BRN, N, D




TE Part #808980-000
202D132-3/42-0



TE Part #5-520315-7
TRIOMATE ASSY V 7P L=3.556



TE Part #3-350816-2
ULTRAFast 187 ASSY REC 16-14
TPBR LP



TE Part #5-103669-2
03 MTE HDR SRST LATCH W/HLDWN



TE Part #2-520193-2
ULTRA-FAST 187 ASY REC 22-18 TPBR



TE Part #1879208-1
CPF 0402 10R 0.1% 25PPM 1K RL



TE Part #3-1534904-4
CONNECTOR HSG 94 POS.



TE Part #E21385-000
B-155-06



TE Part #2-1904022-3
V23234A1001X041-EV-100

Documents

Product Drawings

[RECEPT,PIDG FASTON 16-14 110](#)

English

CAD Files

[3D PDF](#)

English

Customer View Model

[ENG_CVM_8-640929-1_G.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_8-640929-1_G.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_8-640929-1_G.3d_stp.zip](#)

English

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_8-640929-1_F.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_8-640929-1_F.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_8-640929-1_F.3d_stp.zip](#)

English



By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English