

MEAS | MEAS 805 TE Internal #: 805-0050-01 AC Response Embedded Accelerometers, Uniaxial Sensing, MEAS 805

View on TE.com >

Sensors > Vibration Sensors



Accelerometer Type: IEPE

Vibration Sensor Product Type: AC Response Embedded Accelerometers

Number of Sensing Axes: Uniaxial

Frequency Response: 1 to 8000 Hz

Full Scale Output Voltage: ±5 VDC

Features

Product Type Features

Accelerometer Type

Vibration Sensor Product Type



IEPE

AC Response Embedded Accelerometers

Electrical Characteristics

Excitation Current	2 – 10 mA	
Full Scale Output Voltage	±5 VDC	
Signal Characteristics		
Frequency Response	1 to 8000 Hz	
Body Features		
Product Weight	5 g[.17 oz]	
Primary Product Material	Stainless Steel	
Number of Sensing Axes	Uniaxial	
Mechanical Attachment		
Mounting Type	Screw Mount	
Usage Conditions		
Operating Temperature Range	-40 – 100 °C[-40 – 212 °F]	
Other		
Nonlinearity	±1 %FSO	

805-0050-01

AC Response Embedded Accelerometers, Uniaxial Sensing, MEAS 805



Acceleration Range (±)	50 g	
Sensitivity	100 mV/g	
Product Compliance For compliance documentation, visit the product page on TE.com>		
EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Not Yet Reviewed	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUL 2021 (219) Does not contain REACH SVHC	
Halogen Content	Not Yet Reviewed for halogen content	
Solder Process Capability	Not reviewed for solder process capability	

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | MEAS 805


C For support call+1 800 522 6752

09/27/2023 01:33PM | Page 2


805-0050-01

AC Response Embedded Accelerometers, Uniaxial Sensing, MEAS 805





Customers Also Bought



805M1-0020 TO-5 Accelerometer	ACW0219-0.75-2(NS)	U.FL/MHF1 Jack 50 Ohm PCB Surface Mount	MMCX Jack 50 Ohm PCB Surface Mount
TE Part #5-1768701-0 LBC-13024			
Documents			
CAD Files 3D PDF			

3D

Customer View Model

ENG_CVM_CVM_805-0050-01_H.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_805-0050-01_H.3d_igs.zip

805-0050-01

AC Response Embedded Accelerometers, Uniaxial Sensing, MEAS 805



English

Customer View Model ENG_CVM_CVM_805-0050-01_H.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

805_Accelerometer

English