



Sensors &gt; Vibration Sensors

Accelerometer Type: **IEPE**Vibration Sensor Product Type: **AC Response Embedded Accelerometers**Number of Sensing Axes: **Uniaxial**Frequency Response: **1 to 8000 Hz**Full Scale Output Voltage: **±5 VDC**

## Features

### Product Type Features

Accelerometer Type	IEPE
Vibration Sensor Product Type	AC Response Embedded Accelerometers

### Electrical Characteristics

Excitation Current	2 – 10 mA
Full Scale Output Voltage	±5 VDC

### Signal Characteristics

Frequency Response	1 to 8000 Hz
--------------------	--------------

### Body Features

Product Weight	5 g [.17 oz]
Primary Product Material	Stainless Steel
Number of Sensing Axes	Uniaxial

### Mechanical Attachment

Mounting Type	Adhesive
---------------	----------

### Usage Conditions

Operating Temperature Range	-40 – 100 °C [-40 – 212 °F]
-----------------------------	-----------------------------

### Other

Nonlinearity	±1 %FSO
--------------	---------



Acceleration Range (±)	50 g
Sensitivity	100 mV/g

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUN 2020 (209) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Compatible Parts



Also in the Series | **MEAS 805**



Vibration Sensors(14)

## Customers Also Bought



TE Part #2-1734839-3  
FPC CONN. 0.5MM PITCH T/C,23P




TE Part #2102352-2  
CeeLok FAS-T, Receptacle Kit, ZnNi



TE Part #1-1478762-5  
METAL BACKSHELL 15 WAY TOP E



TE Part #5-747909-2  
15 Rcpt Solder Cup, Gold Flash



TE Part #4-1879255-9  
RP 2B 75R 0.1% 15PPM CUT LENGTH

## Documents

### CAD Files

#### 3D PDF

3D

#### Customer View Model

[ENG\\_CVM\\_CVM\\_805-0050\\_H.2d\\_dxf.zip](#)

English

#### Customer View Model

[ENG\\_CVM\\_CVM\\_805-0050\\_H.3d\\_igs.zip](#)

English

#### Customer View Model

[ENG\\_CVM\\_CVM\\_805-0050\\_H.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

#### [805\\_Accelerometer](#)

English

