



MEAS | MEAS 86 Series

TE Internal #: 86-030A-R

TE Internal Description: 30 PSIA RIBBON CABLE MV PRESSURE SENSOR

MV Output Pressure Sensor, 16 mm

[View on TE.com >](#)

Sensors > Pressure Sensors > Media Isolated Pressure Sensors > MV Output Pressure Sensor, 16 mm



Pressure: [30 psi]

Media Isolated Pressure Sensor Type: **Media Isolated mV Output Pressure Sensors**

Media Isolated Pressure Sensor Style: **Absolute**

Output/Span: **100mV**

Operating Temperature Range: **-40 – 125 °C [-40 – 257 °F]**

[All MV Output Pressure Sensor, 16 mm \(30\)](#)

Features

Product Type Features

Media Isolated Pressure Sensor Type	Media Isolated mV Output Pressure Sensors
Media Isolated Pressure Sensor Style	Absolute

Configuration Features

Electrical Connection	Ribbon Cable
-----------------------	--------------

Electrical Characteristics

Supply Current	1.5 mA
----------------	--------

Dimensions

Dimensions	Dia 15.82 x 11.4 mm [Dia .622 x .448 in]
------------	--

Usage Conditions

Operating Temperature Range	-40 – 125 °C [-40 – 257 °F]
-----------------------------	-------------------------------

Operation/Application

Proof Pressure Range	3X
	30 psi
Output/Span	100mV

Packaging Features

Media Isolated Pressure Sensor Package

O-Ring Mount

Other

Non-Linearity

± .1 %

Sensor Options

No Tube

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU

Compliant

EU ELV Directive 2000/53/EC

Compliant with Exemptions

China RoHS 2 Directive MIIT Order No 32, 2016

No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2023 (235)
 Candidate List Declared Against: JAN 2023 (233)
 Does not contain REACH SVHC

Halogen Content

Not Yet Reviewed for halogen content

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | **MEAS 86 Series**




Media Isolated Pressure Sensors(41)

Customers Also Bought



TE Part #86-005G-RT
5 PSIG RIBBON CABLE MV PRESSURE SENSOR



TE Part #3-521247-2
ULTRA-FAST 187 ASY REC 16-14 AWG TPBR




TE Part #340A-060
CABLE 4-CONNECTOR



TE Part #20007013-00
4610-002-120-D



TE Part #20007019-00
4610-100-120-D



TE Part #20018122-01
830M1-1000 Triaxial 1Kg Tray 25pcs



TE Part #M3031-000005-01KPG
PRESS XDCR M3031-000005-01KPG

Documents

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_86-030A-R_G1.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_86-030A-R_G1.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_86-030A-R_G1.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

86C

English

