



MEAS | MEAS 86 Series

TE Internal #: 86-050A-R

TE Internal Description: 50 PSIA RIBBON CABLE MV PRESSURE SENSOR

MV Output Pressure Sensor, 16 mm

[View on TE.com >](#)

Sensors > Pressure Sensors > Media Isolated Pressure Sensors > MV Output Pressure Sensor, 16 mm



Pressure: [ 50 psi ]

Media Isolated Pressure Sensor Type: **Media Isolated mV Output Pressure Sensors**

Media Isolated Pressure Sensor Style: **Absolute**

Output/Span: **100mV**

Operating Temperature Range: **-40 – 125 °C [ -40 – 257 °F ]**

[All MV Output Pressure Sensor, 16 mm \(30\)](#)

## Features

### Product Type Features

Media Isolated Pressure Sensor Type	Media Isolated mV Output Pressure Sensors
Media Isolated Pressure Sensor Style	Absolute

### Configuration Features

Electrical Connection	Ribbon Cable
-----------------------	--------------

### Electrical Characteristics

Supply Current	1.5 mA
----------------	--------

### Dimensions

Dimensions	Dia 15.82 x 11.4 mm [Dia .622 x .448 in]
------------	--

### Usage Conditions

Operating Temperature Range	-40 – 125 °C [ -40 – 257 °F ]
-----------------------------	-------------------------------

### Operation/Application

Proof Pressure Range	3X
	50 psi
Output/Span	100mV

### Packaging Features

Media Isolated Pressure Sensor Package

O-Ring Mount

### Other

Non-Linearity

± .1 %

Sensor Options

No Tube

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU

Compliant with Exemptions

EU ELV Directive 2000/53/EC

Compliant with Exemptions

China RoHS 2 Directive MIIT Order No 32, 2016

Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2023  
(235)  
Candidate List Declared Against: JAN 2023  
(233)  
Does not contain REACH SVHC

Halogen Content

Not Yet Reviewed for halogen content

Solder Process Capability

Not reviewed for solder process capability

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



Also in the Series | **MEAS 86 Series**



Media Isolated Pressure Sensors(41)

## Customers Also Bought



TE Part #1658622-6  
26 NOVO MIL/CTR 30DP, LEAD FREE



TE Part #6-87523-9  
MOD IV RECP LP LF



TE Part #5-102694-4  
12 ampmodu mt assy dr sn



TE Part #10217784-00  
ABD, AD-101, COMPACT ASSY, 4MM



TE Part #4525DO-DS3AS015GP  
PRESS XDCR, DIGITAL, PSI RANGE




TE Part #20007013-00  
4610-002-120-D




TE Part #20007019-00  
4610-100-120-D



TE Part #20019999-00  
PT100 TEMPERATURE SENSOR



TE Part #20027757-00  
PT1000 TEMPERATURE SENSOR, CLA,  
1000MM



TE Part #86-300G-U  
NISO, LP, GAGE, LEADS

## Documents

### CAD Files

[3D PDF](#)

[3D](#)

### Customer View Model

[ENG\\_CVM\\_CVM\\_86-050A-R\\_G1.2d\\_dxf.zip](#)

English

### Customer View Model

[ENG\\_CVM\\_CVM\\_86-050A-R\\_G1.3d\\_igs.zip](#)



English

Customer View Model

[ENG\\_CVM\\_CVM\\_86-050A-R\\_G1.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

---

**Datasheets & Catalog Pages**

**86C**

English