86401-8 - ACTIVE

AMPMODU | AMPMODU IV/V

TE Internal #: 86401-8 Housing, Receptacle, Wire-to-Board, 10 Position, .125 in [3.18 mm] Centerline, Crimp, 1 Row, Black, Wire & Cable, Signal, AMPMODU IV/V

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings



Connector Product Type: Housing Connector & Housing Type: Receptacle Connector System: Wire-to-Board Number of Positions: 10

Centerline (Pitch): 3.18 mm [.125 in]

Features

Product Type Features

Connector Product Type	Housing
Connector & Housing Type	Receptacle
Connector System	Wire-to-Board
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	10
Number of Rows	1
Electrical Characteristics	
Operating Voltage	250 VAC
Body Features	
Primary Product Color	Black
Contact Features	
Contact Layout	Inline
Contact Type	Socket
Contact Base Material	Beryllium Copper
Contact Current Rating (Max)	3 A
Termination Features	
Termination Method to Wire & Cable	Crimp

86401-8

Housing, Receptacle, Wire-to-Board, 10 Position, .125 in [3.18 mm] Centerline, Crimp, 1 Row, Black, Wire & Cable, Signal, AMPMODU IV/V



Mechanical Attachment

Strain Relief	Without	
Mating Retention	Without	
Housing Features		
Housing Entry Configuration	Both Ends Closed	
Housing Material	Nylon - GF	
Centerline (Pitch)	3.18 mm[.125 in]	
Dimensions		
Connector Length	31.36 mm[1.23 in]	
Connector Height	3.04 mm[.12 in]	
Usage Conditions		
Operating Temperature Range	-65 – 105 °C[-85 – 221 °F]	
Operation/Application		
Circuit Application	Signal	
Industry Standards		
Glow Wire Rating	Standard Part - Not Glow Wire	

UL Flammability Ratin	g
-----------------------	---

UL 94V-0

Packaging Features

Packaging Quantity	1
Packaging Method	Package

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.

86401-8

Housing, Receptacle, Wire-to-Board, 10 Position, .125 in [3.18 mm] Centerline, Crimp, 1 Row, Black, Wire & Cable, Signal, AMPMODU IV/V



Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts




Also in the Series | AMPMODU IV/V


	and the second s	A Contraction of the second se	
Automotive Housings(2)	Backplane Connector Housings(1)	Board-to-Board Connector Contacts(6)	Connector Strain Relief(3)
Insertion & Extraction Tools(4)	PCB Connector Covers(18)	PCB Connector Keying(6)	PCB Connector Mounting(1)

86401-8

Housing, Receptacle, Wire-to-Board, 10 Position, .125 in [3.18 mm] Centerline, Crimp, 1 Row, Black, Wire & Cable, Signal, AMPMODU IV/V







Customers Also Bought



PIDG Ring Tongue Terminals

RMD1R102M7QES

HERMETICALLY SEALED LVDT

M83513/04-B01N, MCKS-N1-B-15S6G1-18.0



Documents

Product Drawings 10 MODIV HSG COMP SR .125CL

English

Product Specifications Product Specification

English