88997-2 - ACTIVE


TE Internal #: 88997-2 FFC Contacts, .1 in [2.54 mm] Centerline, FFC, Pin, Tin-Lead, Reel, Solder Tab, 2 A, -85 – 221 °F [-65 – 105 °C]

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > FFC, FPC & Ribbon Connectors > FFC Contacts >

2.54mm FFC Connectors Pin Contacts



Centerline (Pitch): 2.54 mm [.1 in]

Compatible With Wire & Cable Type: FFC

Contact Type: Pin

Contact Mating Area Plating Material: Tin-Lead

Packaging Method: Reel

All 2.54mm FFC Connectors Pin Contacts (34)

Features

Product Type Features

Connector & Contact Terminates To	Wire & Cable				
Configuration Features					
Compatible With Wire & Cable Type	FFC				
Contact Features					
	150 µin				
Contact Mating Area Plating Material Finish	Bright				
Contact Underplating Material	Nickel				
PCB Contact Termination Area Plating Material	Tin-Lead				
Contact Base Material	Phosphor Bronze				
Contact Type	Pin				
Contact Mating Area Plating Material	Tin-Lead				
Contact Current Rating (Max)	2 A				
Termination Features					

88997-2

FFC Contacts, .1 in [2.54 mm] Centerline, FFC, Pin, Tin-Lead, Reel, Solder Tab, 2 A, -85 – 221 °F [-65 – 105 °C]



Termination Method to Wire & Cable	Solder Tab				
Housing Features					
Centerline (Pitch)	2.54 mm[.1 in]				
Dimensions					
Accepts Conductor Width	1.27 mm[.05 in]				
Usage Conditions					
Operating Temperature Range	-65 – 105 °C[-85 – 221 °F]				
Operation/Application					
Circuit Application	Signal				
Packaging Features					
Packaging Method	Reel				
Other					
Connector Contacts Comment	Recommended hole size for solder tabs is 0.79-0.89 [.031035] diameter.				

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (13% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent

88997-2

FFC Contacts, .1 in [2.54 mm] Centerline, FFC, Pin, Tin-Lead, Reel, Solder Tab, 2 A, -85 – 221 °F [-65 – 105 °C]



chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts



Customers Also Bought



TE Part #3-641190-3	TE Part #3-641126-4	TE Part #2-487406-3	TE Part #292206-6
03P MTA100 CONN ASSY RED LF	04P MTA100 HDR ASY FL/STR LF	FFC,RCPT CONTACT,STD PRESSURE	MINI CT SGL DIP H 6P NAT
ETE	A R R R R R R R R R R R R R R R R R R R		
TE Part #2-644488-3	TE Part #487526-8	TE Part #5-104068-5	TE Part #5-2176397-0
03P MTA100 SHRD HDR F/L R/A SN	009 HOUSING FFC RCPT 100CL SR	50 SYSTEM 50 HDR DRST SHRD	3502 110R 1%



Documents

& For support call+1 800 522 6752

88997-2

FFC Contacts, .1 in [2.54 mm] Centerline, FFC, Pin, Tin-Lead, Reel, Solder Tab, 2 A, -85 – 221 °F [-65 – 105 °C]



Product Drawings FFC S.TAB 100SNPB RL

English

CAD Files

Customer View Model

ENG_CVM_CVM_88997-2_BG.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_88997-2_BG.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_88997-2_BG.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English

Product Environmental Compliance MD_88997-2_06052015521_dmtec

English

MD_88997-2_06052015521_dmtec

English