




Wire Protection & Management > Adhesives & Sealants > Hot Melt Tape



Adhesive Type: **Polyamide Adhesive**

Operating Temperature Range: **-20 – 60 °C**

## Features

### Product Type Features

Adhesive Type	Polyamide Adhesive
---------------	--------------------

### Usage Conditions

Operating Temperature Range	-20 – 60 °C
-----------------------------	-------------

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous

materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts




TE Part # CAT-R21-731072  
Bulbous Heat Shrink Boots: Lipped, Straight



TE Part # CAT-R21-73106  
Feedthrough Heat Shrink Boots: Non Lipped, Straight



TE Part # CAT-R21-731  
Heat Shrink Boots: Non Lipped, Straight



TE Part # CAT-R21-7310723  
Low Profile Heat Shrink Boots: Poly Molded, Lipped, Straight




TE Part # CAT-R21-7310654  
Heat Shrink Boots: Non Lipped, Right Angle




TE Part # CAT-R21-56701  
Convoluted Heat Shrink Uni Boots: Lipped, Straight




TE Part # CAT-R21-73106549  
Bulbous Heat Shrink Boots: Lipped, Right Angle




TE Part # CAT-R21-567014  
Low Profile HS Boots: Blow Molded, Slim Line, Lipped, Straight




TE Part # CAT-R21-731055  
Low Profile Heat Shrink Boots: Poly Mold, Lipped, Right Angle




TE Part # 823774-000  
462A023-3-0




TE Part # 814409-000  
214A011-3-0




TE Part # 820188-000  
462A422-71-0



TE Part # 823753-000  
562A043-4-0






TE Part # 820182-000  
381A301-71-0





TE Part # 823225-000  
301A022-3-0



TE Part # 309570-000  
227W223-3-01-0



### Customers Also Bought



### Documents

#### Product Drawings

[S1017-1.0X50](#)

English

#### Datasheets & Catalog Pages

[Raychem Molded Parts Visual Guide](#)

English

#### Product Specifications

[Thermofit Adhesive and Sealant Thermofit S-1017](#)

English