

RAST | RAST 5 IDC Connectors

TE Internal #: 9-1241961-9 Housing, Receptacle, Wire-to-Board, 3 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, RAST 5 IDC Connectors

View on TE.com >

Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings



Connector Product Type: Housing Connector & Housing Type: Receptacle Connector System: Wire-to-Board Number of Positions: 3 Centerline (Pitch): 5 mm [.197 in]

Features



Product Type Features

| Connector Product Type | Housing |
|------------------------------------|-------------------|
| Connector & Housing Type | Receptacle |
| Connector System | Wire-to-Board |
| Sealable | No |
| Connector & Contact Terminates To | Wire & Cable |
| Configuration Features | |
| Keying & Polarized Rib Location | 1a,1b,2a,2b,3a,3b |
| Number of Positions | 3 |
| Number of Rows | 1 |
| Body Features | |
| Primary Product Color | Natural |
| Termination Features | |
| Termination Method to Wire & Cable | Crimp |

Housing, Receptacle, Wire-to-Board, 3 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, RAST 5 IDC Connectors



Mechanical Attachment

| Locking Latch Between Cavity Number | 2&3 | |
|-------------------------------------|----------------------------|--|
| Panel Mount Feature | Without | |
| PCB Mount Retention | Without | |
| Mating Retention Type | Latch | |
| Mating Retention | With | |
| Connector Mounting Type | Cable Mount (Free-Hanging) | |
| Housing Features | | |
| Housing Material | PA 6.6 | |
| Centerline (Pitch) | 5 mm[.197 in] | |
| Dimensions | | |
| Connector Length | 25.5 mm[1 in] | |
| Connector Height | 13.9 mm[.547 in] | |
| Usage Conditions | | |
| Operating Temperature Range | -40 - 105 °C[-40 - 221 °F] | |
| Operation/Application | | |
| Circuit Application | Power & Signal | |

Industry Standards

| RAST Version | None | |
|---|------------------------|--|
| Glow Wire Rating | Glow Wire | |
| UL Flammability Rating | UL 94V-2 | |
| Packaging Features | | |
| Packaging Quantity | 2000 | |
| Packaging Method | Box & Carton | |
| | | |
| | | |
| Product Compliance | | |
| Product Compliance For compliance documentation, visit the product page on TE.com> | | |
| • | Compliant | |
| For compliance documentation, visit the product page on TE.com> | Compliant Compliant | |
| For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU | | |

Housing, Receptacle, Wire-to-Board, 3 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, RAST 5 IDC Connectors



Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC

Not Low Halogen - contains Br or Cl > 900 ppm.

Not applicable for solder process capability

Halogen Content

Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Housing, Receptacle, Wire-to-Board, 3 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, RAST 5 IDC Connectors



Also in the Series | RAST 5 IDC Connectors

| A Contraction of the second se | A Contraction of the second se | | |
|--|--|--|-------------------------------------|
| Automotive Terminals(8) | Connector Contacts(12) | Crimp Terminal Housings(41) | Insertion & Extraction Tools(1) |
| | | Contraction of the second | |
| PCB Headers & Receptacles(417) | Rectangular Connector Housings(1) | Standard Edge Connectors(34) | Standard Rectangular Connectors(68) |





Customers Also Bought



Documents

Product Drawings STANDARD TIMER HOUSING MK II

English

CAD Files

3D PDF

3D

Housing, Receptacle, Wire-to-Board, 3 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, RAST 5 IDC Connectors



Customer View Model

ENG_CVM_CVM_9-1241961-9_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_9-1241961-9_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_9-1241961-9_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Product Specification

German

Product Environmental Compliance MD_9-1241961-9_0606201549_dmtec

English

MD_9-1241961-9_0606201549_dmtec

English