

Potter & Brumfield | Potter & Brumfield SSRK

TE Internal #: 9-1393030-3

Power Relays, Solid State, 1 Form A (SPST-NO), DIN Rail

View on TE.com >



Relays, Contactors & Switches > Relays > Power Relays > P&B Solid State Relays, SSRK Series











Power Relay Type: Solid State

Contact Arrangement: 1 Form A (SPST-NO)

Contact Current Rating (Max): 20 A
Relay Mounting Type: DIN Rail

All P&B Solid State Relays, SSRK Series (12)

Features

Product Type Features

Output Type	AC
Power Relay Type	Solid State
Configuration Features	
Output Switching	Zero
Electrical Characteristics	
Input Voltage Typical	3 VDC
Output Voltage (Max)	240 V
Output Current Rating	.15 – 20 Arms
Output Voltage Rating (DC Relays)	24 – 240 VDC
Output Current (Min)	.15 A
Insulation Initial Dielectric Between Contacts & Coil	4000 Vrms
Body Features	
Product Weight	280 g[9.87 oz]

Black

Case Color



Contact Features

Switch Arrangement	1 Form A (SPST-NO)
Contact Arrangement	1 Form A (SPST-NO)
Contact Current Rating (Max)	20 A

Termination Features

Mechanical Attachment

Coupling	Optical
Relay Mounting Type	DIN Rail

Housing Features

D	
Relay Housing Style	DIN Mount with Integral Heatsink

Dimensions

Usage Conditions

Operating remperature kange -50 – 60 °C	Operating Temperature Range	-30 - 80 °C
---	-----------------------------	-------------

Operation/Application

R-Switch & slimSSR Relays	Yes
---------------------------	-----

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | Potter & Brumfield SSRK



Customers Also Bought





















TE Part #464259-E SRCA 1,27 12 F 1 IDC22 137 E1 094 1,27 T

Documents

CAD Files

Customer View Model

ENG_CVM_CVM_9-1393030-3_A1.3d_igs.zip

English

Customer View Model

ENG_CVM_9-1393030-3_A1.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_9-1393030-3_A1.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Potter & Brumfield SSRK SSRM Series

English

Solid State Relay SSRK Series Data Sheet

English

SSRK_Datasheet

English

Agency Approvals

UL

English