


### Buchanan | Buchanan 6 Series

TE Internal #: 9-1437651-3 Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 7 Position, 9.53 mm [.375 in] Centerline, 1 Row, Buchanan 6 Series View on TE.com >



Connectors > Terminal Blocks & Strips > Barrier Strips



Barrier Strip Style: Tri-Barrier

Bottom Termination Type: Printed Circuit Pin

Connector System: Wire-to-Board

Number of Positions: 7

Centerline (Pitch): 9.53 mm [.375 in ]

# Features

# Product Type Features

Block Style	Flat Bottom			
Connector System	Wire-to-Board			
Connector & Contact Terminates To	Printed Circuit Board			
Configuration Features				
Number of Levels	1			
Number of Positions	7			
Number of Rows	1			
Electrical Characteristics				
Operating Voltage	300 V			
Body Features				
Primary Product Color	Black			
Product Orientation	Right Angle			
Barrier Strip Style	Tri-Barrier			
Contact Features				

Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 7 Position, 9.53 mm [.375 in] Centerline, 1 Row, Buchanan 6 Series



Quick Connect Blade Style	45°, Two Sided
Mating Tab Width	6.35 mm[.25 in]
Mating Tab Thickness	.81 mm[.032 in]
PCB Contact Termination Area Plating Material	Tin
Contact Base Material	Copper Alloy
Contact Current Rating (Max)	25 A
Termination Features	
Bottom Termination Type	Printed Circuit Pin
Mechanical Attachment	
Screw Head Type	Combo Phil-Slot
Screw Plating Material	Zinc Chromate
Screw Material	Steel
Top Termination Type	Binding Combo Head
Mounting Options	None
Thread Size	6-32
Connector Mounting Type	Board Mount
Housing Features	

#### Housing reatures

Housing Material	Thermoplastic			
Centerline (Pitch)	9.53 mm[.375 in]			
Dimensions				
Product Length	68.22 mm[2.686 in]			
Wire Size	.3 – 3 mm²			
Usage Conditions				
Operating Temperature Range	0-105 °C[0-221 °F]			
Operation/Application				
Circuit Application	Power			
Industry Standards				
UL Flammability Rating	UL 94V-0			
Packaging Features				
Packaging Quantity	95			
Packaging Method	Package			
Other				

Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 7 Position, 9.53 mm [.375 in] Centerline, 1 Row, Buchanan 6 Series



Terminal Blocks & Strips Comment

Do not order screw and captive clamp in combination with other top hardware., Other options available upon request, consult our Product Information Center.

# **Product Compliance**


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


# **Compatible Parts**



Also in the Series | Buchanan 6 Series

Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 7 Position, 9.53 mm [.375 in] Centerline, 1 Row, Buchanan 6 Series





# Customers Also Bought



TE Part #1658621-6	TE Part #1658621-4	TE Part #1419111-3	TE Part #3-640426-9
26 NOVO MIL/CTR 15DP, LEAD FREE	20 NOVO MIL/CTR 15DP,LEAD FREE	20C228=SPRING,HOLD-DOWN,KUP,.0	09P MTA156 CONN ASSY 18AWG
			ORA



# Documents

Product Drawings 6PCR-07-014=W/QC INSTALLED

English

### **CAD** Files

Customer View Model

ENG\_CVM\_CVM\_9-1437651-3\_L.2d\_dxf.zip

English

### 3D PDF

Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 7 Position, 9.53 mm [.375 in] Centerline, 1 Row, Buchanan 6 Series



3D

Customer View Model ENG\_CVM\_CVM\_9-1437651-3\_L.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_9-1437651-3\_L.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages BUCHANAN TERMINAL BLOCKS CATALOG - BARRIER STRIPS

English