# HSC100820RJ V ACTIVE

## CGS | CGS HS TE Internal #: 9-1625999-4 820 Ω, Wire Wound, Power Resistor, 87.5 x 47.5 x 26 mm, 2 Termination, Loose Piece - Box, 5 %, 100 W, ±25 ppm/°C, Solder Lug Termination, CGS HS

View on TE.com >



Passive Components > Resistors > Chassis Mount Resistors > Power Resistors: Aluminum Housed, HSC



Resistor Type: Power Resistor

Passive Component Dimensions: 87.5 x 47.5 x 26 mm

Number of Terminations: 2

Packaging Method: Loose Piece - Box

Passive Component Tolerance: 5%

All Power Resistors: Aluminum Housed, HSC (125)

## Features

#### Product Type Features

Resistor Type

Element Type

Power Resistor

Wire Wound

#### **Configuration Features**

Number of Resistors	1
Electrical Characteristics	
Voltage Rating	1900 VDC
Passive Component Tolerance	5 %
Resistance Class	Up to 1kΩ
Resistance Value	820 Ω
Power Rating	100 W
Termination Features	
Number of Terminations	2
Chassis Mount Resistor Termination Type	Solder Lug
Mechanical Attachment	
Chassis Mount Resistor Mount Style	Chassis Mount
Dimensions	

**C** For support call+1 800 522 6752

09/23/2023 11:44AM | Page 1

### HSC100820RJ

820  $\Omega$ , Wire Wound, Power Resistor, 87.5 x 47.5 x 26 mm, 2 Termination, Loose Piece - Box, 5 %, 100 W, ±25 ppm/°C, Solder Lug Termination, CGS HS



Passive Component Dimensions	87.5 x 47.5 x 26 mm				
Jsage Conditions					
Temperature Coefficient	±25 ppm/°C				
Packaging Features					
Packaging Method	Loose Piece - Box				
Product Compliance					
EU RoHS Directive 2011/65/EU	Compliant				
EU RoHS Directive 2011/65/EU EU ELV Directive 2000/53/EC	Compliant Compliant				
EU ELV Directive 2000/53/EC	·				
	Compliant				

Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**


## HSC100820RJ

820 Ω, Wire Wound, Power Resistor, 87.5 x 47.5 x 26 mm, 2 Termination, Loose Piece - Box, 5 %, 100 W, ±25 ppm/°C, Solder Lug Termination, CGS HS





## Also in the Series | CGS HS












High Speed Backplane Connectors(11)	PCB Headers & Receptacles(2)	Plug & Socket Lighting Connector	RJ45 Connectors(1)	
		Accessories(1)		



## Customers Also Bought



### HSC100820RJ

820 Ω, Wire Wound, Power Resistor, 87.5 x 47.5 x 26 mm, 2 Termination, Loose Piece - Box, 5 %, 100 W, ±25 ppm/°C, Solder Lug Termination, CGS HS







TE Part #207571-1 PLUG,4 POSN,ECONOSEAL

## Documents

Product Drawings HSC100 820R 5%

English

CAD Files 3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_9-1625999-4\_AH.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_9-1625999-4\_AH.3d\_igs.zip

English

Customer View Model

```
ENG_CVM_CVM_9-1625999-4_AH.3d_stp.zip
```

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages Aluminium Housed Power Resistors - Type HS Series

English