# 926917-1 <


#### RAST | RAST 5 IDC Connectors, RAST 5D

TE Internal #: 926917-1

Connector Contacts, Receptacle, Tin, Pre-Tin, 250 VAC, 250 VDC, Locking Lance Contact Retention, Discrete Wire, RAST 5 IDC Connectors

#### View on TE.com >

Connectors > Rectangular Connectors > Connector Contacts



Contact Type: Receptacle

Contact Mating Area Plating Material: Tin

Wire Contact Termination Area Plating Material: Pre-Tin

Operating Voltage: 250 VDC

### Features

#### **Product Type Features**



Product Type Features					
Discrete Wire Type	Stranded				
Connector & Contact Terminates To	Wire & Cable				
Configuration Features					
Compatible With Wire & Cable Type	Discrete Wire				
Electrical Characteristics					
Operating Voltage	250 VDC				
Contact Features					
Wire Contact Termination Area Plating Thickness	1 – 2 μm[39.37 – 78.74 μin]				
Contact Mating Area Plating Material Thickness	1 – 2 μm[39.37 – 78.74 μin]				
Barrel Type	Open				
Contact Type	Receptacle				
Contact Mating Area Plating Material	Tin				
Wire Contact Termination Area Plating Material	Pre-Tin				
Contact Retention Within Housing	With				

Connector Contacts, Receptacle, Tin, Pre-Tin, 250 VAC, 250 VDC, Locking Lance Contact Retention, Discrete Wire, RAST 5 IDC Connectors



Contact Base Material	Phosphor Bronze			
Contact Current Rating (Max)	6 A			
Termination Features				
Termination Method to Wire & Cable	Crimp			
Mechanical Attachment				
Contact Retention Type Within Housing	Locking Lance			
Dimensions				
Compatible Insulation Diameter Range	2 – 2.5 mm[.079 – .098 in]			
Wire Size	.5 – 1 mm²			
Operation/Application				
For Multiple Crimp	No			
Packaging Features				
Packaging Quantity	5000			
Packaging Method	Reel			

#### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits

Connector Contacts, Receptacle, Tin, Pre-Tin, 250 VAC, 250 VDC, Locking Lance Contact Retention, Discrete Wire, RAST 5 IDC Connectors




as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach


### **Compatible Parts**



## Also in the Series | RAST 5 IDC Connectors




		Contraction of the second seco	
PCB Headers & Receptacles(417)	Rectangular Connector Housings(1)	Standard Edge Connectors(34)	Standard Rectangular Connectors(68)




### Also in the Series | RAST 5D

Connector Contacts, Receptacle, Tin, Pre-Tin, 250 VAC, 250 VDC, Locking Lance Contact Retention, Discrete Wire, RAST 5 IDC Connectors







## Customers Also Bought



Mini DIN, 6 pos, R/A, Shield	SIZE 2 ASSY KIT CBL CLAMP	STK MJ ASSY,8POS,2X1,SHLD,CAT5	NECTOR S TUBE WHITE
E Machinemente enfanction E TE			ΞTE
TE Part #1740262-1 NECTOR S OUTLET HV-1 WHITE	TE Part #1740261-1 NECTOR S RING CLIP WHITE	TE Part #5212046-1 7 CIRC DIN RCPT GRND SHLD	TE Part #193842-1 SKT ASSY., 2MM, 12-14 AWG



### Documents

Connector Contacts, Receptacle, Tin, Pre-Tin, 250 VAC, 250 VDC, Locking Lance Contact Retention, Discrete Wire, RAST 5 IDC Connectors



**Product Drawings** MT-EDGE CRIMPKONT English **CAD** Files 3D PDF 3D Customer View Model ENG\_CVM\_CVM\_926917-1\_C.2d\_dxf.zip English Customer View Model ENG\_CVM\_CVM\_926917-1\_C.3d\_igs.zip English Customer View Model ENG\_CVM\_CVM\_926917-1\_C.3d\_stp.zip English By downloading the CAD file I accept and agree to the **Terms and Conditions** of use. **Product Environmental Compliance** MD\_926917-1\_0906201737\_dmtec

English

MD\_926917-1\_0906201737\_dmtec

English