928794-2 ~ ACTIVE

FASTIN-FASTON | FASTIN-FASTON 110

TE Internal #: 928794-2 Quick Disconnects, Tab, 17 – 13 AWG Wire Size, 1 – 2.8 mm² Wire Size, 2048 – 5180 CMA Wire Size, Mating Tab Width 2.8 mm [.11 in], FASTIN-FASTON 110

View on TE.com >

Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: Tab

Wire Size: 2048 – 5180 CMA

Mating Tab Width: 2.8 mm [.11 in]

Features

Product Type Features



Insertion Force	Normal
Configuration Features	
Connection Capacity	Single
Compatible With Wire & Cable Type	Discrete Wire
Contact Features	
Quick Disconnect Terminal Type	Tab
Mating Tab Width	2.8 mm[.11 in]
Mating Tab Thickness	.79 mm[.031 in]
Terminal Orientation	Straight
Contact Base Material	Copper Zinc Alloy
Terminal Plating Material	Tin
Crimp Type	F-Crimp
Barrel Type	Open
Termination Features	
Product Terminates To	Wire & Cable

928794-2

Quick Disconnects, Tab, 17 – 13 AWG Wire Size, 1 – 2.8 mm² Wire Size, 2048 – 5180 CMA Wire Size, Mating Tab Width 2.8 mm [.11 in], FASTIN-FASTON 110



Mechanical Attachment

Locking Lance Height	1.2 mm[.047 in]	
Mating Retention Type	Locking Lance	
Dimensions		
Product Length	22.5 mm[.886 in]	
Compatible Insulation Diameter Range	1.8 – 2.9 mm[.071 – .114 in]	
Wire Size	2048 – 5180 CMA	
Usage Conditions		
Insulation Option	Uninsulated	
Operating Temperature Range	-40 – 130 °C[-40 – 266 °F]	
Packaging Features		
Packaging Quantity	1000	
Packaging Method	Box	

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

Compliant

EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	
Solder Process Capability	Not applicable for solder process capability	

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on


928794-2

Quick Disconnects, Tab, 17 – 13 AWG Wire Size, 1 – 2.8 mm² Wire Size, 2048 – 5180 CMA Wire Size, Mating Tab Width 2.8 mm [.11 in], FASTIN-FASTON 110




requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts



Also in the Series | FASTIN-FASTON 110

	All and a set		
Automotive Housings(6)	Automotive Terminals(6)	Crimp Terminal Housings(34)	Insertion & Extraction Tools(3)



Customers Also Bought

928794-2

Quick Disconnects, Tab, 17 – 13 AWG Wire Size, 1 – 2.8 mm² Wire Size, 2048 – 5180 CMA Wire Size, Mating Tab Width 2.8 mm [.11 in], FASTIN-FASTON 110





Documents

Product Drawings FF 110 TAB PTP CUZN30

English

CAD Files 3D PDF

3D

Customer View Model ENG_CVM_CVM_928794-2_R.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_928794-2_R.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_928794-2_R.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.